# Effects of altering histone post-translational modifications on mitotic chromosome structure and mechanics

Ronald Biggs<sup>1</sup>, Andrew D. Stephens<sup>1</sup>, Patrick Liu<sup>1</sup> and John F. Marko<sup>1,2,\*</sup>

<sup>1</sup>Department of Molecular Biosciences,

<sup>2</sup>Department of Physics and Astronomy,

Northwestern University, Evanston, Illinois 60208

\*Correspondence to: John F. Marko: Department of Molecular Biosciences,

Northwestern University, 2205 Tech Drive, Evanston, IL 60208-3500

Fax: 847-467-1380 Email: john-marko@northwestern.edu

XXX characters not including spaces

Short Title: HPTMs and mitotic chromosome mechanics

## **Abstract**

During cell division chromatin is compacted into mitotic chromosomes to aid faithful segregation of the genome between two daughter cells. Post-translational modifications (PTM) of histones alter compaction of interphase chromatin, but it remains poorly understood how these modifications affect mitotic chromosome stiffness and structure. Using micropipette-based force measurements and epigenetic drugs, we probed the influence of canonical histone PTMs that dictate interphase euchromatin (acetylation) and heterochromatin (methylation) on mitotic chromosome stiffness. By measuring chromosome doubling force (the force required to double chromosome length), we find that histone methylation, but not acetylation, contributes to mitotic structure and stiffness. We discuss our findings in the context of chromatin gel modeling of the large-scale organization of mitotic chromosomes.

## Introduction

Chromatin structure is important for many different cellular functions. A dramatic change in chromatin structure and organization occurs during the transition from interphase to mitosis where the open, diffuse, compartmentalized, and transcriptionally accessible interphase chromatin becomes compact, rod-like, and transcriptionally repressed in mitosis (Wang and Higgins, 2013; Doenecke, 2014; Oomen and Dekker, 2017). While most work studying mitotic chromatin rearrangement focuses on large chromatin-organizing complexes like cohesin, condensin, and topoisomerases (Vagnarelli, 2012), mitosis also is associated with characteristic changes to histone post-translational modifications (PTMs) (Wang and Higgins, 2013; Oomen and Dekker, 2017).

Histone PTMs are chemical changes to histones, typically to their tails, some of which are associated with different chromatin structures and densities (Rice and Allis, 2001; Wang and Higgins, 2013). Acetylation, notably of histone 3 lysine 9 (H3K9ac), is associated with euchromatin, which is loosely packed, gene rich, and actively transcribed (Doenecke, 2014) Methylation, notably H3K9me<sup>3</sup> and H3K27me<sup>3</sup>, is associated with heterochromatin, which is densely packed and poorly transcribed (Rice and Allis, 2001; Wang and Higgins, 2013; Oomen and Dekker, 2017). Histone PTMs may also intrinsically alter chromatin packing by changing the charge of histones (acetylation) and introducing hydrophobic moieties to histones (methylation) (Rice and Allis, 2001; Doenecke, 2014). Recent cryo-EM data has shown that histones are often positioned such that histone tails can physically interact with other nearby histone tails (Bilokapic *et al.*, 2018), possibly enabling the alteration to chromatin structure.

Changes to histone PTMs are known to affect the structure and stiffness of cell nuclei during interphase. Increased euchromatin has been correlated with weaker nuclei (Chalut *et al.*,

2012; Krause *et al.*, 2013; Haase *et al.*, 2016) specifically decreasing the short-extension force response of nuclei, which is governed by chromatin stiffness, and contributes secondarily to long extensions (Stephens *et al.*, 2017). Decreased chromatin-based nuclear rigidity caused by increased euchromatin has also been shown to cause abnormal nuclear morphology (Stephens *et al.*, 2018), which is an indicator of different cellular diseases, including cancers (Chow *et al.*, 2012). Increased heterochromatin has been shown to cause stiffer nuclei and resistance to abnormal nuclear morphology (Stephens *et al.*, 2017; Stephens *et al.*, 2018). Thus, the correlations between chromatin state and histone PTMs with nuclear stiffness and shape indicate underlying connections between histone PTMs and chromatin stiffness.

Some histone PTM changes are associated specifically with mitosis. Bookmarking, the process where some histone PTMs are retained or stabilized during mitosis, preserves the cell's transcriptional state and is important for maintaining cellular identity and function (Wang and Higgins, 2013; Doenecke, 2014; Oomen and Dekker, 2017). Methylation may be constant or even increase in mitosis to preserve gene expression (Park *et al.*, 2011; Zhiteneva *et al.*, 2017). Increased H4K20me<sup>1</sup> has also been associated with loading of condensin, which organizes chromatin in mitosis (Beck *et al.*, 2012). Another hallmark of mitosis is the dramatic reduction in overall histone acetylation (Park *et al.*, 2011; Zhiteneva *et al.*, 2017), which may be important for mitotic compaction or related to the lower transcriptional activity during mitosis (Wang and Higgins, 2013).

Histone PTMs may also intrinsically affect mitotic chromosome organization (Vagnarelli, 2012; Zhiteneva *et al.*, 2017). Recent experiments suggest that nucleosomes reconstituted using the core histones from mitotic cells have a greater propensity to aggregate compared to nucleosomes assembled using core histones from interphase cells (Zhiteneva *et al.*, 2017). This

effect suggests that histone PTMs and their changes in mitosis may intrinsically affect mitotic compaction through nucleosome-nucleosome interactions. Other experiments have shown that DNA forms the underlying connectivity of mitotic chromosomes (Poirier and Marko, 2002; Sun *et al.*, 2011) and condensin in the central axis of mitotic chromosomes is discontiguous (Sun *et al.*, 2018; Walther *et al.*, 2018). While condensin provides the majority of the stiffness of mitotic chromosomes, it remains unclear how much chromatin-chromatin interactions could contribute to the stiffness of the mitotic chromosome.

To study the effects of altering histone PTMs on mitotic chromosome structure, we measured the doubling forces on isolated mitotic chromosomes (Figure 1 and S1; the "doubling force" is the force required to double the length of a chromosome, and quantifies chromosome elastic stiffness in a chromosome-length-independent way). In order to test the hypothesis that alterations to histone PTMs affect the compaction of mitotic chromosomes, we studied the effects of the histone deacetylase inhibitors (HDACis), valproic acid (VPA) (Marchion *et al.*, 2005) and trichostatin A (TSA) (Yoshida *et al.*, 1990), on the levels of H3K9ac in mitosis and how they affect the stiffness of human mitotic chromosomes. We also tested how the histone demethylase inhibitor (HDMi), methylstat (MS) (Luo *et al.*, 2011) alters the levels of H3K9me<sup>2,3</sup> and H3K27me<sup>3</sup> in mitosis, and affects the stiffness of human mitotic chromosomes. Our results show that HDACi treatments increase H3K9ac, but cause no change to the stiffness of mitotic chromosomes, while MS treatment increased canonical heterochromatin marks and the mechanical stiffness of mitotic chromosomes.

#### **Results**

#### HDACis increase H3K9ac on mitotic chromosomes but do not affect their stiffness

In order to investigate the role of histone PTMs on mitotic chromosome compaction, we studied the effects of histone hyperacetylation. We induced histone hyperacetylation using the histone deacetylase inhibitors (HDACi), valproic acid (VPA) and trichostatin A (TSA). Both VPA and TSA led to an increase in H3K9ac fluorescence intensity in fixed immunofluorescence (IF) and Western blots in interphase cells (Figure S2). Having been able to induce hyperacetylation in interphase, we next tested whether the same treatment would cause histone hyperacetylation in mitosis. In fixed IF experiments of mitotic cells the average ratios of HDACi-treated to untreated H3K9ac measurements were 1.4±0.1 for VPA and 2.3±0.3 for TSA (Figure 2A,B). In single isolated chromosome experiments the average ratios of HDACi to untreated H3K9ac measurements were 1.8±0.2 for VPA and 2.3±0.6 TSA (Figure 2C,D). These results indicated that we were able to create hyperacetylated chromatin in mitosis.

Next we tested if this increase in acetylation would lead to a difference in stiffness for mitotic chromosomes, by measuring the doubling force of mitotic chromosomes extracted from untreated and HDACi-treated cells. Neither VPA nor TSA caused a statistically significant change in doubling force compared to untreated chromosomes (Figure 2E). The average chromosome doubling forces were 320±30 pN in untreated cells, 310±40 pN in VPA treated cells, and 330±30 pN in TSA treated cells. The lack of change was not due to changes of initial length or cross sectional area, as neither changed with HDACi treatments (Figure S3).

We also analyzed the effect of histone hyperacetylation on chromosome doubling force, by plotting the doubling force against H3K9ac fluorescence for untreated and HDAC inhibited chromosomes. There was no statistically significant correlation between H3K9ac measurements

and doubling force in either untreated chromosomes or VPA treatments (Figure 2F). However,

TSA treatment showed a statistically significant correlation between H3K9ac measurements and

doubling force. This however, may be due to the small sample size and the short range of data

being analyzed. We concluded that hyperacetylation of histones through HDACi treatment does

not affect the stiffness of mitotic chromosomes.

Methylstat stiffens mitotic chromosomes and increases fixed cell histone methylation

Since we found that there was no effect of histone acetylation on chromosome doubling force,

we wanted to test how altering histone methylation affects the stiffness of mitotic chromosomes.

In order to induce hypermethylation, we used the histone demethylase inhibitor (HDMi)

methylstat (MS), which showed an increase in both H3K9me<sup>2,3</sup> and H3K27me<sup>3</sup> via Western

blotting and fixed-cell IF in interphase cells (Figure S4). Having been able to induce

hypermethylation in interphase, we next tested whether the same treatment would cause histone

hypermethylation in mitosis. In fixed IF experiments of mitotic cells the average ratio of MS to

untreated H3K9me<sup>2,3</sup> measurement was 1.9±0.1 while the average ratio of MS to untreated

H3K27me<sup>3</sup> measurement was 4.4±0.5 (Figure 3A,B). In contrast to the fixed IF experiments, MS

did not cause a statistically significant change in H3K9me<sup>2,3</sup> nor H3K27me<sup>3</sup> measurement on

7

single isolated chromosomes (Figure 3C,D). While unexpected, this data is explainable due to a

lack of antibody accessibility and penetration into the more compact hypermethylated

chromosomes, and the short antibody incubation time for our microspraying of isolated

chromosomes, relative to fixed IF staining (~10 min versus ~16 h).

To determine if increased methylation caused mitotic chromosomes to become stiffer, we

measured the doubling force of MS treated chromosomes. MS treatment caused a statistically

significant increase of about 80% in the doubling force of mitotic chromosomes, consistent with

more compact chromatin (Figure 3E). The average chromosome doubling forces were 320±30

pN in untreated cells and 580±40 pN in MS treated cells. This change was not due to a change in

either the initial chromosome length or cross sectional area, as neither changed with MS

treatment (Figure S5).

Plotting doubling force against H3K9me<sup>2,3</sup> measurements did not show any correlation in

untreated or MS treated cells (Figure 3F top panels). However, plotting doubling force against

H3K27me<sup>3</sup> measurements (in MS treated cells, but not untreated) suggests a correlation between

H3K27me<sup>3</sup> and chromosome stiffness (Figure 3F bottom panels). These correlations of data span

a large force range. These results indicate that hypermethylation, via MS treatment, leads to

higher H3K27me<sup>3</sup> levels, and causes chromosomes to become denser and thus stiffer.

Methylstat treatment does not change SMC2 levels

Since condensin is the most well known contributor to chromosome strength, we sought to

determine if levels of condensin on mitotic chromosomes increased when treated with MS.

Previous work has shown that chromosome stiffness is approximately linearly proportional to the

amount of condensin on the chromosome (Sun et al., 2018). We used antibodies against SMC2, a

core subunit of condensin, to determine if there was a difference in fluorescence intensities

between untreated and MS treated chromosomes. The experiments did not show a difference in

fluorescence (Figure 4A,B), suggesting that the stiffening phenotype is independent of condensin

loading. SMC2 measurements were also not correlated with doubling force for the data analyzed;

spanning a large force range for MS treated cells (Figure 4C). These results support the

8

hypothesis that histone methylation directly stiffens mitotic chromosomes.

**Discussion** 

Histone hypermethylation stiffens mitotic chromosomes, but hyperacetylation does not

affect mitotic chromosome stiffness

Our data show that increasing H3K9ac levels do not affect chromosome stiffness in mitosis (Figure 2). Our original hypothesis had been that HDACi-induced histone hyperacetylation would weaken mitotic chromosomes. This hypothesis was based on the observations that histone acetylation is normally reduced in mitosis (Doenecke, 2014), and is thought to intrinsically affect nucleosome packing (Zhiteneva *et al.*, 2017). Furthermore, we expected to see weaker mitotic chromosomes since interphase hyperacetylated chromatin is decompacted (Doenecke, 2014) and hyperacetylating chromatin weakens the chromatin-dependent stiffness of interphase nuclei (Stephens *et al.*, 2017; Stephens *et al.*, 2018). However, our data indicate that mitotic chromosomes with hyperacetylated histones via HDACi treatment are just as stiff as mitotic chromosomes from untreated cells.

Unlike HDACi treatments, which do not change the doubling force of mitotic chromosomes, treatment by the HDMi MS causes a stiffer and likely denser mitotic chromosome without affecting SMC2 levels (Figure 3, 4). These results support our original hypothesis that the increase of histone methylation and propensity of mitotic histones to condense would stiffen mitotic chromosome as observed for interphase nuclei (Stephens *et al.*, 2017; Stephens *et al.*, 2018), but are in contrast to our results involving mitotic hyperacetylated histones. Our data indicate that this stiffening is not due to overloading of condensin.

#### Incorporating chromatin interactions into the model of mitotic chromosomes

To understand how chromatin may contribute to the overall stiffness of mitotic chromosomes, it is important to understand how mitotic chromosomes are organized. Early electron microscopy suggested that mitotic chromosomes are organized into loops of chromatin extending from a protein-rich core (Marsden and Laemmli, 1979). The currently heavily studied loop-extrusion model builds upon this classical bottlebrush model, describing how the bottlebrush is formed (Alipour and Marko, 2012; Goloborodko *et al.*, 2016; Gibcus *et al.*, 2018). In this model, chromatin loop-extruding complexes in the core of mitotic chromosomes create the bottlebrush structure. Non-histone chromatin-organizing complexes such as condensin and cohesin localize to the core of mitotic chromosomes and between sister chromatids, respectively (Ball and Yokomori, 2001; Piazza *et al.*, 2013), which function as the loop-extruding enzymes in this model. Another such model of extruded chromatin loops organized by the protein complexes condensin and cohesin has been used to describe the yeast centromere as a chromatin spring (Stephens *et al.*, 2011; Lawrimore *et al.*, 2015).

We sought to incorporate the loop-extrusion model into the gel-network model of mitotic chromosomes. The gel-network model describes mitotic chromosomes as a gel of chromatin crosslinked by non-histone protein complexes, predominantly condensin (Figure 5A) (Poirier and Marko, 2002). There are two facets that govern the stiffness of a gel network: the density of crosslinks and the pliability of the intervening cross-linked fibers (Gennes, 1979). Recent work has shown that condensin is approximately linearly correlated to the stiffness of mitotic chromosomes (Sun *et al.*, 2018), suggesting that most of the stiffness is governed by the chromatin loop-extruding elements, modeled as the primary crosslinking elements (Figure 5A). Previous work has shown that DNA/chromatin constitutes the underlying connectivity of mitotic

chromosomes, which makes up the underlying fiber (Poirier and Marko, 2002; Sun *et al.*, 2011). These data also show that the loop-extruding proteins cannot form a contiguous core. In considering mitotic chromosomes as a gel, condensins comprise the major crosslinks while chromatin forms the underlying fiber. Due to the lack of change in stiffness when histones are hyperacetylated and the lack of increase in condensin levels on hypermethylated histones, it suggests that perturbing histone PTMs does not affect the number of primary, condensin-based crosslinks.

Since hyperacetylating histones does not affect the stiffness of mitotic chromosomes, it cannot affect the amount of crosslinks or the ability of the chromatin fiber to be stretched. This is in contrast to interphase, where hyperacetylation weakens chromatin-based nuclear stiffness (Stephens *et al.*, 2017; Stephens *et al.*, 2018). This difference may be due to a lack of transcription in mitosis, acetyl-histone readers in mitosis, or other cell-cycle-dependent factors. These factors could be actively decompacting chromatin in interphase nuclei, but not in mitosis (Wang and Higgins, 2013; Doenecke, 2014). Furthermore, histone acetylation is drastically decreased in mitosis meaning that effect size of increased histone acetylation via HDACi for chromosomes may be negligible. While a decrease in acetylation in mitosis coincides with a higher degree of compaction (Zhiteneva *et al.*, 2017), it appears that the acetylation of histones does not have an intrinsic effect on metaphase chromosome stiffness.

In the chromatin-gel model of a mitotic chromosome, our data suggest that hypermethylating histones does affect mitotic chromosome structure, resulting in increased doubling force. Nucleosome-nucleosome interactions can stiffen mitotic chromosomes by either forming additional weaker crosslinks or the chromatin fibers themselves could become harder to stretch (Figure 5B). Neither of these hypotheses affect the primary crosslinkers, condensins.

These two hypotheses are not mutually exclusive, although future experiments may be able to determine which of them is predominantly true. Further chromosome-manipulation experiments of the sort presented in this paper should be able to determine precisely which PTMs are responsible for the structural changes, as well as elucidate if the changes in chromosome mechanics we have observed are achieved by histones alone or if they require other proteins for their mediation.

A majority of work on the relation between histone PTMs and chromatin structure focuses on histone readers, but histone PTMs may be intrinsically responsible may the stiffness change. It has been shown that chromatin reconstituted from mitotic histones aggregates more than chromatin reconstituted from interphase histones (Zhiteneva *et al.*, 2017). This analysis indicates that histone methylation is in some sense coupled to the structure and mechanics of mitotic chromosomes, in that a 3.4-fold increase in methylation creates an 80% increase in chromosome stiffness. This change in intrinsic condensation tendency may be facilitated by direct nucleosome-nucleosome interactions due to histone tails in the manner observed by (Bilokapic *et al.*, 2018). Our data do suggest that the potential increase of histone methylation, rather than decreased acetylation, contributes to tighter packing of nucleosomes during mitosis.

One must keep in mind that the metaphase chromosome, while organized as a chromatin gel, likely has an underlying radial-loop architecture, with an excess of condensin crosslinkers near the central chromatin "axes" (sketched in Fig. 5A). It is conceivable that weak, multivalent attractions between nucleosomes, such as those that might be mediated by histone tails, could drive compaction of the denser axial region of metaphase chromatids without generating adhesion between the outer, less dense outer radial loop "halos". Uncontrolled adhesion between nucleosomes must be avoided: once individual nucleosomes adhere to one another, the whole

genome will stick together and form a droplet, a situation incompatible with chromosome segregation (Marko and Siggia, 1997). Multivalency could be a key ingredient, as it can permit a rapid "turn-on" of inter-nucleosome attraction with local nucleosome concentration, allowing the relatively weak loop-extrusion-compaction by condensins to compact the axial region sufficiently so that attractions turn on there, but not in the less dense loop halo. This scenario could explain how metaphase chromatids end up being dense in their axial interior while retaining mutually repulsive loop-halo exteriors, thus simultaneously achieving strong chromatin compaction while facilitating chromosome individualization and sister chromatid resolution, and also making the overall mechanics of metaphase chromosomes sensitive to additional nucleosome attractions associated with specific PTMs.

**Materials and Methods** 

Cell culture and drug treatments

Human HeLa cells were maintained in DMEM (Corning) with 10% fetal bovine serum (FBS)

(HyClone) and 1% 100x penicillin/streptomycin (Corning). The cells were incubated at 37°C and

5% CO<sub>2</sub> for no more than 30 generations, passaged every 2-4 days. Experiments on isolated

chromosomes used cells that were allowed to recover 1-3 days before isolation. Cells were free

cycling and not treated with drugs designed to affect or synchronize the cell cycle.

For drug treatments, the cells were plated as above in drug free DMEM and allowed to

recover for ~8 h, then treated with 2 mM VPA (Sigma), 50 nM TSA (Sigma), or 2 µM MS

(Cayman chemicals) all dissolved in DMEM. Chromosomes were then isolated from the cells

16-24 h after treatment for VPA and TSA, or 40-48 h for MS treatments.

Fixed immunofluorescence (IF)

Cells were grown on a coverslip (Fisher) and treated as above. All solutions were diluted with

and wash steps performed with PBS (Lonza) at room temperature, unless noted otherwise. Slides

were washed, fixed in 4% paraformaldehyde (EMS), washed, permeabilized with 0.10-0.20%

Triton-X 100 (USBio), incubated in 0.06% Tween 20 (Fisher), washed, and blocked in 10% goat

serum (Sigma). The slides incubated with primary overnight at 4°C. The slides were then

washed, incubated in secondary, incubated in Hoechst (Life Tech), washed and mounted.

Primary and secondary solutions were diluted in 10% goat serum. HDACi treatments

were assayed using a 1:400 rabbit anti-H3K9ac (Cell Signaling 9649) primary and a 1:500 488-

nm anti-rabbit IgG (Invitrogen A11034) secondary. HDMi treatments used a 1:100 mouse anti-

H3K9me<sup>2,3</sup> (Cell Signaling 5327) with a 1:1600 rabbit anti-H3K27me<sup>3</sup> (Cell Signaling 9733)

primary and a 1:500 of 488-nm anti-mouse IgG (Invitrogen A11001) with a 1:500 of 594-nm

anti-rabbit IgG (Invitrogen A11037) secondary. Mitotic cells were identified by finding cells that

showed compact mitotic chromosomes in the Hoechst channel. The final IF values reported are

given by the fluorescence signal to background ratio of the antibody of interest over the Hoechst

signal to background ratio. Averages and standard errors are divided by the average untreated

values in normalized graphs. Cells were analyzed from two different plates of cells,

simultaneously processed in the same way after drug treatment. N refers to number of total cells

analyzed.

Single chromosome isolation: setup and microscopy

Single chromosome isolation experiments used an inverted microscope (IX-70; Olympus) with a

60x 1.42 NA oil immersion objective with a 1.5x magnification pullout at room temperature and

atmospheric CO<sub>2</sub> levels. Experiments were performed in less than 3 hours after removal from the

incubator to ensure minimum damage to the cells being analyzed.

Prometaphase cells were identified by eye and lysed with 0.05% Triton-X 100 in PBS.

All other pipettes were filled with PBS. After lysis, the bundle of chromosomes was held with a

pipette. One end of a loose chromosome was grabbed by the force pipette (WPI TW100F-6),

moved from the bundle and grabbed with the pulling pipette on the other end. The bundle was

then removed to isolate the chromosome (Figure 1A and S1).

Single chromosome isolation: force measurement

An easily bendable force pipette and stiff pulling pipette were used for stretching chromosomes.

Once isolated, the pipettes were moved perpendicular to the chromosome, stretching the

chromosome to roughly its native length. The stiff pipette was then moved 6 µm and returned to

the starting position at a constant rate of 0.20 µm/sec in 0.04 µm steps in a LabVIEW protocol,

while tracking the stiff and force pipette. Figure 1B shows an example stretch-deflection

experiment. Deflection of the force pipette multiplied by its calibrated spring constant and

divided by the distance between the pipettes (the stretch) was used to obtain the chromosome

spring constant. Each chromosome was stretched at least 3 times to provide an accurate and

reproducible measurement of the chromosome spring constant. Each chromosome represents an

individual data point. The chromosome spring constant multiplied by its initial length gave the

doubling force. Chromosome cross sectional area was estimated as  $0.25\pi d^2$  with chromosome

16

diameter d calculated as the full width at half maximum of an ImageJ line scan.

Single chromosome isolation: immunofluorescence

After force measurements, the chromosome was lifted above the glass surface and sprayed with a

primary, secondary, and tertiary solution from a wide bore pipette, moving the chromosome

between sprays. The solutions used 50 µL PBS, 36-38 µL H<sub>2</sub>O (Corning), 10 µL 5% casein

(Sigma), and 2 µL each antibody. HDACi experiments used a rabbit anti-H3K9ac primary and a

488-nm anti-rabbit secondary. HDMi experiments used a mouse anti-H3K9me<sup>2,3</sup> and a rabbit

anti-H3K27me<sup>3</sup> primary and a 488-nm anti-mouse IgG with a 594-nm anti-rabbit IgG secondary.

The tertiary spray used Hoechst instead of an antibody. Each chromosome represents an

individual data point.

Western blots

Cells were grown in 100 mm dishes and treated as described in "cell culture and treatments". TSA treatments were done at 200 nM. Cells were then harvested in PBS, centrifuged into a pellet, and lysed with RIPA buffer. The solution was then pelleted and the supernatant saved. The solution was then mixed with 2x Laemmli buffer, run on a 4-20% gradient SDS-PAGE gel, transferred to a nitrocellulose sheet, incubated in a primary solution, washed, and incubated in a secondary solution, then imaged.

## Acknowledgements

This work was supported by the NIH through grants R01-GM105847, U54-CA193419 (CR-PS-OC), ADS K99-GM123195, and a subcontract to grant U54-DK107980.

# **Author Contribution Statement**

RB and JFM conceived and designed the research. RB, ADS, and PL conducted experiments. RB and PL analyzed data. RB, ADS and JFM wrote, read and approved the manuscript.

#### References

Alipour, E., and Marko, J.F. (2012). Self-organization of domain structures by DNA-loop-extruding enzymes. Nucleic Acids Res *40*, 11202-11212.

Ball, A.R., Jr., and Yokomori, K. (2001). The structural maintenance of chromosomes (SMC) family of proteins in mammals. Chromosome Res 9, 85-96.

Beck, D.B., Oda, H., Shen, S.S., and Reinberg, D. (2012). PR-Set7 and H4K20me1: at the crossroads of genome integrity, cell cycle, chromosome condensation, and transcription. Genes Dev *26*, 325-337.

Bilokapic, S., Strauss, M., and Halic, M. (2018). Cryo-EM of nucleosome core particle interactions in trans. Sci Rep *8*, 7046.

Chalut, K.J., Hopfler, M., Lautenschlager, F., Boyde, L., Chan, C.J., Ekpenyong, A., Martinez-Arias, A., and Guck, J. (2012). Chromatin decondensation and nuclear softening accompany Nanog downregulation in embryonic stem cells. Biophys J *103*, 2060-2070.

Chow, K.H., Factor, R.E., and Ullman, K.S. (2012). The nuclear envelope environment and its cancer connections. Nat Rev Cancer *12*, 196-209.

Doenecke, D. (2014). Chromatin dynamics from S-phase to mitosis: contributions of histone modifications. Cell Tissue Res *356*, 467-475.

Gennes, P.G.d. (1979). Scaling concepts in polymer physics. Cornell University Press: Ithaca, N.Y.

Gibcus, J.H., Samejima, K., Goloborodko, A., Samejima, I., Naumova, N., Nuebler, J., Kanemaki, M.T., Xie, L., Paulson, J.R., Earnshaw, W.C., Mirny, L.A., and Dekker, J. (2018). A pathway for mitotic chromosome formation. Science *359*.

Goloborodko, A., Imakaev, M.V., Marko, J.F., and Mirny, L. (2016). Compaction and segregation of sister chromatids via active loop extrusion. Elife *5*.

Haase, K., Macadangdang, J.K., Edrington, C.H., Cuerrier, C.M., Hadjiantoniou, S., Harden, J.L., Skerjanc, I.S., and Pelling, A.E. (2016). Extracellular Forces Cause the Nucleus to Deform in a Highly Controlled Anisotropic Manner. Sci Rep *6*, 21300.

Krause, M., Te Riet, J., and Wolf, K. (2013). Probing the compressibility of tumor cell nuclei by combined atomic force-confocal microscopy. Physical biology *10*, 065002.

Lawrimore, J., Vasquez, P.A., Falvo, M.R., Taylor, R.M., 2nd, Vicci, L., Yeh, E., Forest, M.G., and Bloom, K. (2015). DNA loops generate intracentromere tension in mitosis. J Cell Biol *210*, 553-564.

Luo, X., Liu, Y., Kubicek, S., Myllyharju, J., Tumber, A., Ng, S., Che, K.H., Podoll, J., Heightman, T.D., Oppermann, U., Schreiber, S.L., and Wang, X. (2011). A selective inhibitor and probe of the cellular functions of Jumonji C domain-containing histone demethylases. J Am Chem Soc 133, 9451-9456.

Marchion, D.C., Bicaku, E., Daud, A.I., Sullivan, D.M., and Munster, P.N. (2005). Valproic acid alters chromatin structure by regulation of chromatin modulation proteins. Cancer Res *65*, 3815-3822.

Marko, J.F., and Siggia, E.D. (1997). Polymer models of meiotic and mitotic chromosomes. Mol Biol Cell *8*, 2217-2231.

Marsden, M.P., and Laemmli, U.K. (1979). Metaphase chromosome structure: evidence for a radial loop model. Cell *17*, 849-858.

Oomen, M.E., and Dekker, J. (2017). Epigenetic characteristics of the mitotic chromosome in 1D and 3D. Crit Rev Biochem Mol Biol *52*, 185-204.

Park, J.A., Kim, A.J., Kang, Y., Jung, Y.J., Kim, H.K., and Kim, K.C. (2011). Deacetylation and methylation at histone H3 lysine 9 (H3K9) coordinate chromosome condensation during cell cycle progression. Mol Cells *31*, 343-349.

Piazza, I., Haering, C.H., and Rutkowska, A. (2013). Condensin: crafting the chromosome landscape. Chromosoma *122*, 175-190.

Poirier, M.G., and Marko, J.F. (2002). Mitotic chromosomes are chromatin networks without a mechanically contiguous protein scaffold. Proc Natl Acad Sci U S A 99, 15393-15397.

Rice, J.C., and Allis, C.D. (2001). Histone methylation versus histone acetylation: new insights into epigenetic regulation. Curr Opin Cell Biol *13*, 263-273.

Stephens, A.D., Banigan, E.J., Adam, S.A., Goldman, R.D., and Marko, J.F. (2017). Chromatin and lamin A determine two different mechanical response regimes of the cell nucleus. Mol Biol Cell *28*, 1984-1996.

Stephens, A.D., Haase, J., Vicci, L., Taylor, R.M., 2nd, and Bloom, K. (2011). Cohesin, condensin, and the intramolecular centromere loop together generate the mitotic chromatin spring. I Cell Biol *193*, 1167-1180.

Stephens, A.D., Liu, P.Z., Banigan, E.J., Almassalha, L.M., Backman, V., Adam, S.A., Goldman, R.D., and Marko, J.F. (2018). Chromatin histone modifications and rigidity affect nuclear morphology independent of lamins. Mol Biol Cell *29*, 220-233.

Sun, M., Biggs, R., Hornick, J., and Marko, J.F. (2018). Condensin controls mitotic chromosome stiffness and stability without forming a structurally contiguous scaffold. Chromosome Res.

Sun, M., Kawamura, R., and Marko, J.F. (2011). Micromechanics of human mitotic chromosomes. Physical biology *8*, 015003.

Vagnarelli, P. (2012). Mitotic chromosome condensation in vertebrates. Exp Cell Res *318*, 1435-1441.

Walther, N., Hossain, M.J., Politi, A.Z., Koch, B., Kueblbeck, M., Odegard-Fougner, O., Lampe, M., and Ellenberg, J. (2018). A quantitative map of human Condensins provides new insights into mitotic chromosome architecture. J Cell Biol *217*, 2309-2328.

Wang, F., and Higgins, J.M. (2013). Histone modifications and mitosis: countermarks, landmarks, and bookmarks. Trends Cell Biol *23*, 175-184.

Yoshida, M., Kijima, M., Akita, M., and Beppu, T. (1990). Potent and specific inhibition of mammalian histone deacetylase both in vivo and in vitro by trichostatin A. J Biol Chem *265*, 17174-17179.

Zhiteneva, A., Bonfiglio, J.J., Makarov, A., Colby, T., Vagnarelli, P., Schirmer, E.C., Matic, I., and Earnshaw, W.C. (2017). Mitotic post-translational modifications of histones promote chromatin compaction in vitro. Open Biol 7.




Figure 1. Experimental setup for chromosome micromanipulation, force measurement and image quantification. (A) Schematic of the single isolated chromosome experimental setup. Single chromosomes were isolated from mitotic HeLa cells in a custom-made well (Materials and Methods). Isolation was done after lysing the cells with a PBS-Triton-X solution, where a single chromosome was isolated from the whole genome chromosome bundle. Once isolated, the chromosome could be stretched for measurements of the doubling force or sprayed with fluorescent antibodies for immunostaining experiments. (B) An example of an experiment to measure the doubling force of a mitotic chromosome. The force (thin pipette on the right) and pull (larger pipette on the left) pipettes were aligned to be roughly perpendicular to the isolated chromosomes. The pull pipette then moved away from the force pipette, stretching the chromosome (dashed line). The stretching of the chromosome would cause the force pipette to deflect (thin line) which was used to calculate the force on the chromosome for the amount of stretch at that point. Chromosome initial length (thick bar) and diameter (not shown) measured using a still image in ImageJ.





Figure 2. HDACis cause increased H3K9ac fluorescence in mitotic fixed cells and isolated chromosomes, but have little effect on the stiffness of mitotic chromosomes. (A) Example representative images of levels of H3K9ac fluorescence measurement on fixed mitotic cells. Scale bar 10  $\mu$ m. (B) Quantitative data of (A). The H3K9ac intensity ratio of untreated to 2 mM VPA 16-24 h treatment was 1.4±0.1. The H3K9ac intensity ratio of untreated to 50 nM TSA 16-24 h treatment was 2.3±0.3. (C) Example representative images of levels of H3K9ac fluorescence measurements on isolated mitotic chromosomes. Scale bar 5  $\mu$ m. (D) Quantitative data of (C). The H3K9ac intensity ratio of untreated to 2 mM VPA 16-24 h treatment was

1.8 $\pm$ 0.2. The H3K9ac intensity ratio of untreated to 50 nM TSA 16-24 h treatment was 2.3 $\pm$ 0.6 (E) Recorded doubling force for mitotic chromosomes from untreated and HDACi treated cells. The average chromosome doubling forces were 320 $\pm$ 30 pN in untreated cells. The average doubling force was 310 $\pm$ 40 pN in 2 mM VPA 16-24 h treated cells, statistically insignificant. The average doubling force was 330 $\pm$ 30 pN in 50 nM TSA 16-24 h treated cells, statistically insignificant. (F) Scatterplots of doubling force against H3K9ac fluorescence measurements. Using a linear fit the R<sup>2</sup> were 0.06 for untreated, 0.01 2 mM VPA 16-24 h treatment, 0.91 for 50 nM TSA 16-24 h treatment. Error bars represent standard error. Asterisk in bar graphs represent a statistically significant difference (p < 0.05). Asterisk in scatterplots represent a statistically significant correlation (p < 0.05). All p values calculated via t test.



**Figure 3. Methylstat treatment causes an increase in methylation for mitotic fixed cells and stiffens mitotic chromosomes.** (**A**) Example representative images of levels of H3K9me<sup>2,3</sup> and H3K27me<sup>3</sup> fluorescence intensity on fixed mitotic cells. Scale bar 10 μm. (**B**) Quantitative data of (**A**). The H3K9me<sup>2,3</sup> intensity ratio of untreated to 2 μM MS 40-48 h treatment was  $1.9\pm0.1$ . The H3K27me<sup>3</sup> intensity ratio of untreated to 2 μM MS 40-48 h treatment was  $4.4\pm0.5$ . (**C**) Example representative images of levels of H3K9me<sup>2,3</sup> and H3K27me<sup>3</sup> fluorescence intensity on isolated mitotic chromosomes. Scale bar 5 μm. (**D**) Quantitative data of (**C**). The H3K9me<sup>2,3</sup> intensity ratio of untreated to 2 μM MS 40-48 h treatment was  $0.73\pm0.10$ , statistically insignificant. The H3K27me<sup>3</sup> intensity ratio of untreated to 2 μM MS 40-48 h treatment was

 $0.81\pm0.09$ , statistically insignificant. (**E**) Recorded doubling force for mitotic chromosomes from untreated and MS treated cells. The average chromosome doubling forces were 320±30 pN in untreated cells. The average doubling force was  $580\pm40$  pN in 2  $\mu$ M MS 40-48 h treated cells. (**F**) Scatterplots of doubling force against H3K9me<sup>2,3</sup> and H3K27me<sup>3</sup> fluorescence measurements. Using a linear fit the R<sup>2</sup> were 0.03 for untreated H3K9me<sup>2,3</sup>, 0.03 for untreated H3K27me<sup>3</sup>, 0.01 for 2  $\mu$ M MS 40-48 h treatment H3K27me<sup>3</sup>. Error bars represent standard error. Asterisk in bar graphs represent a statistically significant difference (p < 0.05). Asterisk in scatterplots represent a statistically significant correlation (p < 0.05). All p values calculated via t test.





Figure 4. Methylstat treatment does not cause a change in relative SMC2 fluorescent levels. (A) Example representative images of levels of SMC2 fluorescence intensity on mitotic chromosomes. Scale bar is 5  $\mu$ m. (B) The SMC2 intensity ratio of untreated to 2  $\mu$ M MS 40-48 h treatment was 0.82, statistically insignificant. (C) Graph of doubling force against SMC2 fluorescence measurement. Using a linear fit the R<sup>2</sup> were 0.031 for untreated and 0.146 for 2  $\mu$ M MS 40-48 h treatment, neither were statistically significant. Error bars represent standard error. All p values calculated via t test.



**Figure 5. Model of mitotic chromosome.** (**A**) Gel based model of mitotic chromosomes, demonstrating the crosslinking elements as condensin and the intervening fibers as chromatin. This model is compatible with different models of mitotic chromosomes including the loop-extrusion model, in which condensin can act both as a crosslinking element and the loop-extruding element. (**B**) Methods on which changes to the fiber or interactions of the fiber can stiffen a gel network. These models are not mutually exclusive and can be used to describe how increased histone methylation introduces an increase in stiffness to mitotic chromosomes. Neither of these effects are changed when histones are hyperacetylated in mitosis.