bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

Structural colours reflect individual quality: a meta-analysis

Thomas E. White[1,2]

[1]School of Life and Environmental Sciences, The University of Sydney, Sydney, Australia 2106

[2] Corresponding author.

E-mail: thomas.white@sydney.edu.au

Keywords: condition dependent, honest signal, communication, iridescence, sexual selection

Word count (excluding abstract): 2489

Number of figures: 1

Number of tables: 0

Supplementary material: Supplementary figures and table

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

Abstract

Colourful ornaments often communicate salient information to mates, and theory predicts covariance between signal expression and individual quality. This has borne out among pigment-based signals, but the potential for 'honesty' in structural colouration is unresolved. Here I synthesised the available evidence to test this prediction via meta-analysis and found that, overall, the expression of structurally coloured sexual signals is positively associated with individual quality. The effects varied by measure of quality, however, with body condition and immune function reliably encoded, but not age nor parasite resistance. The relationship was consistent for both the chromatic and achromatic components of signals, and was slightly stronger for iridescent ornaments. These results suggest diverse pathways to the encoding and exchange of information among structural colours, while highlighting outstanding questions as to the development, visual ecology, and evolution of this striking adornment.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

Introduction

Colour is a ubiquitous channel of communication in nature and is showcased at an extreme in the service of mate choice [1,2]. Attempts to understand the function of colourful ornaments have often asked whether and how their expression is tied to individual quality, with empirical tests guided by indicator and handicap models of sexual selection [3,4]. These models argue that conspicuous ornaments are selectively favoured because they are difficult and/or costly to produce, and so encode honest information about an individual's quality to potential mates. A central prediction is that signal expression should be condition-dependent, and the most robust support to date is found among carotenoid-based colour patterns [5,6]. As pigments that cannot be synthesised *de novo*, all carotenoids must ultimately be acquired via diet before being incorporated into signals directly or following bioconversion. This offers ample opportunity for selection to favour mechanistic links between foraging, metabolic performance, and sexual signal expression, which is now well established, at least among birds [7,8]. Relative to our knowledge of pigment-based colouration, however, the potential for structural colours to signal individual quality remains both understudied and poorly resolved.

Unlike pigments, which are selectively absorbent, structural colouration results from the incoherent scattering, diffraction, and/or constructive interference of light by surface structuring at the nano-scale [9,10]. Three general arguments have been articulated around their potential for honesty in sexual signalling. One is that if sufficient material is required to produce nano-architectures then it may establish a trade-off with other physiological needs, and so provide a tangible cost consistent with a handicap explanation [3]. A non-exclusive alternative builds on the observation that the macro-scale expression of signals relies on the precision with which the underlying structures are built [11]. If individuals heritably vary in their capacity to achieve such precision—either directly or via the acquisition of stable developmental conditions—then signals may serve as an index of underlying genetic quality [4]. Finally, the lack of obvious ecologically relevant material to trade-off against during signal construction, together with the self-assembly inherent in structural colours, has motivated arguments against any general expectations for condition dependence *sensu lato* [12]. Though experimental work is able to partition these hypotheses in some contexts [13], most empirical studies to date have focused on the overarching question of honesty by examining the predicted covariance between fitness-related traits and signal expression. This has provided valuable insight into the central question, but diversity in signal designs, measures of 'quality', and taxonomy have presented a challenge for qualitative synthesis.

Here I used phylogenetically controlled meta-analysis and meta-regression to examine whether struc-

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

tural colour signals encode salient information on individual quality. Specifically, I synthesised estimates of correlations between measures of individual quality and signal expression to test the prediction of condition dependence, before examining methodological and theoretically derived mediators of effect-size variation among studies.

Methods

Literature search and study selection

I conducted a systematic literature search using *Web of Knowledge* and *Scopus* databases for publications up to September 2019, using the query ((colour OR color OR pigment) AND signal AND (quality OR condition OR condition dependent OR condition dependence OR ornament) OR honest*), as well as searching the references of included texts. This produced 3482 unique studies, from which 41 were ultimately suitable for quantitative synthesis following the screening of titles, abstracts, and full texts (see Fig. S1 for PRISMA statement) using the R package 'revtools' v0.4.1 [14]. I included all experimental and observational studies that quantified the relationship between intersexual structural colour signal expression and any one of age, body condition (size, size-corrected mass, or growth rate), immune function (oxidative damage, PHA response, circulating CORT or testosterone) or parasite resistance as a measure of individual quality. I excluded studies that conflated the structural and pigmentary contributions to signal expression during measurement or manipulation, that directly manipulated colouration or the underlying structures, only studied sexually immature juveniles, focused exclusively on intrasexual signalling, used human-subjective assessments of colouration, or which provided insufficient data.

Effect size calculation

I used the correlation coefficient, Pearson's r, transformed to Fisher's z as the effect size describing the relationship between colour signal expression and measures of individual quality for meta-analysis. These effects were extracted directly from text or figures, using the R package 'metadigitise' v1.0 [15], where possible (n = 100), or was otherwise converted from available test statistics or summary data (n = 84).

Meta-analyses

I ran both phylogenetic multi-level meta-analytic (intercept-only, MLM) and multi-level meta-regression (MLMR) models, using the package 'metafor' v2.1-0 [16] in R v3.5.2 [17]. Almost all studies reported multiple effects through the estimation of several colour metrics or multiple measures of individual quality, so I included both a study- and observation-level random effect in all models. From my MLM

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

model I estimated a meta-analytic mean (i.e., intercept) effect size, which describes the overall support for the honesty of structural colour signals. I accounted for phylogenetic non-independence between effect sizes in all models by estimating relationships among species using the Open Tree of Life database [18], accessed via the R package 'rotl' v3.0.10 [19]. Given the resulting tree topology, I estimated a correlation matrix from branch lengths derived using Grafen's method [20] assuming node heights raised to the power of 0.5. Though this does not account for evolutionary divergence, it grants an approximate estimate of relatedness by accounting for phylogenetic topology (Fig. S2).

I then used separate MLMR models to examine the effects of moderators, both theoretical and methodological, which may be expected to alter the strength of the signal/quality relationship. These included the measure of individual quality used—body condition, age, immune function, or parasite resistance (as defined above)—since 'quality' is multivariate (discussed below). There is a suite of metrics available for measuring colour, though they typically centre on quantifying hue (the unique colour), saturation (spectral purity), and brightness, or a composite thereof [21]. I therefore coded each as an 'chromatic' or 'achromatic' measure in order to separately evaluate which, if any, signal features contain salient information on mate quality. This dichotomy is supported by physiological and ecological evidence around the partitioning of colour and luminance information in certain contexts [22–24], as well as the expectation that not all signal features are equally likely to be subject to condition dependence [25,26]. I also tested the effect of signal iridescence. The rationale was twofold. For one, all iridescence arises from coherent light-scattering [26]. All things being equal, coherent light-scattering demands a level of architectural precision beyond that of incoherent scatterers, and so offers an indirect test of the hypothesised link between the demands of nano-scale precision and signal honesty. Second, iridescence is an inherently temporal feature of visual communication and this temporal structure itself may provide an additional or alternate conduit of information to potential mates [13,27,28], though this possibility remains unexplored directly. I also considered study type, given my inclusion of both experimental and observational studies, as well as the sex of focal animals. Finally, I coded whether studies included measurements of non-sexual traits as controls in tests of *heightened* condition-dependence [29] and tested for an effect on the resulting effect size estimates (see discussion).

Publication bias

I explored evidence for publication bias by visually inspecting funnel plots of effect sizes versus standard errors (Fig. S3) and using an Egger's test on an intercept-only MLMA that included the random effects described above [30].

Data availability

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

All data and code are available via GitHub (https://github.com/thomased/metacol), and will be persistently archived upon acceptance.

Results

The final dataset comprised 184 effect sizes, across 27 species, from 41 studies [5,13,31–35,35–69]. As predicted, I found a positive overall correlation between individual quality and structural colour signal expression (Z = 0.159, 95% CI = 0.087 to 0.232; Fig. 1). These effects sizes were highly heterogeneous (I^2 = 81.24%, 95% CI = 78.31 to 83.78; See table S1 for full set of estimates) as is typical of meta-analytic data in ecology and evolutionary biology [70]. A small amount of heterogeneity was explained by among-study effects (I^2 = 15.10%, 95% CI = 9.40 to 21.70), and only a very weak phylogenetic signal was evident (I^2 = 1.60%, 95% CI = 0.86 to 2.60).

Of the measures of quality considered, body condition (Z = 0.191, 95% CI = 0.099 to 0.284) and immune function (Z = 0.356, 95% CI = 0.126 to 0.587) were reliably positively correlated with structural colour expression, while age (Z = 0.017, 95% CI = -0.118 to 0.152) and parasite resistance (Z = 0.122, 95% CI = -0.026 to 0.266) were not (Fig. 1). Both the colour (Z = 0.154, 95% CI = 0.066 to 0.242) and brightness (Z = 0.172, 95% CI = 0.071 to 0.273) of signals were similarly informative channels, and iridescent signals were subject to slightly stronger positive correlations than non-iridescent signals (Z = 0.156, 95% CI = 0.013 to 0.299). Signal honesty was apparent among males only (Z = 0.171, 95% CI = 0.093 to 0.247), though the weak, borderline effect and much smaller sample among females (Z = 0.121, 95% CI = -0.014 to 0.257, n = 29) suggests a male-bias in the literature similar to that in related fields [71], which may have partly driven this outcome. Experimental studies tended to report marginally stronger correlations (Z = 0.221, 95% CI = 0.109 to 0.334) than observational assays (Z = 0.129, 95% CI = 0.058 to 0.200), most likely reflecting slightly exaggerated experimental manipulations of condition relative to natural variation [29]. Finally, the majority of studies (n = 36) did not include measurements of non-sexual control traits, though I found no clear difference in effect-size estimates between those that did and did not (Z = 0.120, 95% CI = -0.09 to 0.328).

Publication bias

Visual inspection of the funnel plot showed little asymmetry (Fig. S3), as supported by non-significant Egger's tests (t_{180} = -0.2395, p = 0.8110), which suggests a minimal influence of missing data on effect size estimates.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

Discussion

Colourful ornaments may be reliable conduits of information on mate quality, though evidence for the predicted covariance between signal expression and mate quality among structural, as opposed to pigmentary, signals is equivocal. Here I found meta-analytic support for this link in the form of a positive correlation between structural colour expression and individual quality (Fig. 1), consistent with honesty-based models of sexual signal evolution [3,4]. The strength of the overall correlation, though moderate, was commensurate with meta-analytic estimates from pigment-based sexual signals [7,8,72], and suggests that structural colouration may serve a reliable indicator of individual quality.

Quality is a multivariate feature of individuals, and this is reflected in the effect-size variation between measures. Both condition (as narrowly defined above), and proxy measures of immune system integrity were on-average positively correlated with signal expression. This is consistent with the general expectation of developmental integration among signalling and fitness-related traits and is supported by experimental work showing that body mass and immune function are responsive to ecologically salient stressors, with consequences for colour production. Among birds, for example, disease and dietary stress produces abnormalities in the keratin barbules that contribute to colouration [73–75], while in butterflies the precision arrangement of wing-scale architectures is disrupted by nutritional and environmental stress during pupal (hence, wing-structure) development [34,76]. In contrast, neither age nor parasite resistance were reliably informative of mate quality. These latter measures are often predicated on, or susceptible to, the mechanical degradation of structures post-development. Thus, the inherently heightened variability of sexual signals combined with ectoparasite-induced damage and/or accumulated wear with age may compound to render the signals less accurate predictors on balance [57,77,78]. Curiously, the near inverse relationship was recently identified in a meta-analysis of carotenoid-based signalling. Weaver et al. [7] examined correlations across similar categories of quality as those used here but found no consistent relationship between signals and either of body condition or immune function. Given the fundamental optical and developmental differences between structural and pigmentary colour production the potential exists for each to signal unique aspects of individual mate quality, as is suggested by the totality of these results. This has also been directly supported by limited empirical work [63] and may hold more broadly as an explanation for the often integrated use of structural and pigmentary mechanisms in sexual colouration.

Colour is often assumed to be the central conduit of information exchange given its relative stability under variable natural illumination [23,25], though my results suggest both the chromatic and achromatic features of signals are similarly informative (Fig. 1). Furthermore, I identified slightly stronger condition

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

dependence among iridescent, as opposed to non-iridescent, patches. While the underlying architecture varies across taxa, all iridescent colouration arises from coherent light interference and so demands a level of architectural regularity and precision beyond that of incoherent scattering [10,26]. Iridescence also introduces temporal structure to signals since the colour appearance depends on the precise arrangement of signals, viewers, and light sources. These combined features may render iridescent colouration particularly suitable as bearers of information [28], as broadly consistent with the results presented here, and so contribute to the ubiquity of the phenomenon [79,80]. This idea has found some support, for example, via condition-dependent variation in signal angularity [13], and a predictive relationship between iridescence itself and mating success [81]. Empirically unravelling the function and perceptual significance of iridescence in the context of sexual signalling—where the effect is seen at its most extreme—remains an active challenge [27]. More generally, these results affirm the view that the extended spectral and temporal repertoire available to structural colours may facilitate the exploration of distinct 'signalling niches', with tangible evolutionary consequences [1,52].

By integrating the development of signal structure and fitness-related traits, structural colours may serve as informative signals during mate choice. A holistic understanding, however, awaits progress on several fronts. Most significant is the inclusion of appropriate non-sexual controls. Given that many traits will scale with overall condition, the ultimate evidence for handicap models lies in the demonstration of *heightened* condition-dependence among sexual traits. Though I found no clear difference in effect size estimates between studies with and without such controls the small sample size was limiting, and moreover represents a conceptual limitation that remains pervasive [29]. Partitioning indicator and handicap models of signal evolution, and understanding the nature of direct and/or indirect benefits being signalled, are key challenges which requires both experimental and quantitative-genetic study across a breadth of taxa [13]. Finally, signalling ecology should remain front-of-mind as accumulating evidence, consistent with that presented here, continues to highlight the inherent spatio-temporal complexity of signals and visual systems [82–84]. This offers exciting opportunities for integrative studies of signal development, production, and perception, which will fuel a richer view of this pervasive adornment of the natural world.

Acknowledgments

I'm grateful to Daniel Noble and Alistair Senior for advice on meta-analysis, and Elizabeth Mulvenna and Cormac White for their endless support.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

Funding

None to report.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

References

1. Maia R, Rubenstein DR, Shawkey MD. 2013 Key ornamental innovations facilitate diversification in an avian radiation. *Proceedings of the National Academy of Sciences* **110**, 10687–10692.

2. Dalrymple RL, Flores-Moreno H, Kemp DJ, White TE, Laffan SW, Hemmings FA, Hitchcock TD, Moles AT. 2018 Abiotic and biotic predictors of macroecological patterns in bird and butterfly coloration. *Ecological Monographs* **88**, 204–224.

3. Zahavi A. 1975 Mate selection—a selection for a handicap. *Journal of Theoretical Biology* **53**, 205–214.

4. Maynard Smith J, Harper D. 2003 *Animal signals*. Oxford University Press.

5. Keyser AJ, Hill GE. 1999 Condition–dependent variation in the blue–ultraviolet coloration of a structurally based plumage ornament. *Proceedings of the Royal Society of London. Series B: Biological Sciences* **266**, 771–777.

6. Kemp DJ. 2008 Resource-mediated condition dependance in sexually dichromatic butterfly wing coloration. *Evolution* **62**, 2346–2358.

7. Weaver RJ, Santos ES, Tucker AM, Wilson AE, Hill GE. 2018 Carotenoid metabolism strengthens the link between feather coloration and individual quality. *Nature communications* **9**, 73.

8. Simons MJ, Cohen AA, Verhulst S. 2012 What does carotenoid-dependent coloration tell? Plasma carotenoid level signals immunocompetence and oxidative stress state in birds–a meta-analysis. *PLoS One* **7**, e43088.

9. Vukusic P, Sambles J. 2003 Photonic structures in biology. *Nature* **424**, 852–5.

10. Johnsen S. 2012 *The optics of life: A biologist's guide to light in nature*. Princeton University Press.

11. Ghiradella HT, Butler MW. 2009 Many variations on a few themes: A broader look at development of iridescent scales (and feathers). *Journal of the Royal Society Interface*, rsif–2008.

12. Prum RO, Dufresne ER, Quinn T, Waters K. 2009 Development of colour-producing β-keratin nanostructures in avian feather barbs. *Journal of the Royal Society Interface* **6**, S253–S265.

13. Kemp DJ, Rutowski RL. 2007 Condition dependence, quantitative genetics, and the potential signal content of iridescent ultraviolet butterfly coloration. *Evolution* **61**, 168–183.

14. Westgate MJ. 2019 Revtools: An r package to support article screening for evidence synthesis. *Research synthesis methods*

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

15. Pick JL, Nakagawa S, Noble DW. 2019 Reproducible, flexible and high-throughput data extraction from primary literature: The metaDigitise r package. *Methods in Ecology and Evolution* **10**, 426–431.

16. Viechtbauer W. 2010 Conducting meta-analyses in r with the metafor package. *Journal of Statistical Software* **36**, 1–48.

17. R Core Team. 2018 *R: A language and environment for statistical computing.* Vienna, Austria: R Foundation for Statistical Computing. See https://www.R-project.org/.

18. Hinchliff CE *et al.* 2015 Synthesis of phylogeny and taxonomy into a comprehensive tree of life. *Proceedings of the National Academy of Sciences* **112**, 12764–12769.

19. Michonneau F, Brown JW, Winter DJ. 2016 Rotl: An r package to interact with the open tree of life data. *Methods in Ecology and Evolution* **7**, 1476–1481.

20. Grafen A. 1989 The phylogenetic regression. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences* **326**, 119–157.

21. Maia R, White TE. 2018 Comparing colors using visual models. *Behavioral Ecology* **29**, 649–659.

22. Osorio D, Vorobyev M. 2005 Photoreceptor spectral sensitivities in terrestrial animals: Adaptations for luminance and colour vision. *Proceedings of the Royal Society B: Biological Sciences* **272**, 1745–1752.

23. Gegenfurtner KR, Kiper DC. 2003 Color vision. *Annual Review of Neuroscience* **26**.

24. White TE, Kemp DJ. 2017 Colour polymorphic lures exploit innate preferences for spectral versus luminance cues in dipteran prey. *BMC evolutionary biology* **17**, 191.

25. Rubin JM, Richards W. 1982 Color vision and image intensities: When are changes material? *Biological Cybernetics* **45**, 215–226.

26. Prum RO. 2006 Anatomy, physics, and evolution of structural colors. *Bird coloration* **1**, 295–353.

27. White TE. 2018 Illuminating the evolution of iridescence. *Trends in Ecology & Evolution* **33**, 374–375.

28. Rutowski RL, Merry JW, Morehouse NI, Yturralde K, Taylor-Taft L, Gaalema D, Kemp DJ, Papke RS. 2007 Iridescent ultraviolet signal in the orange sulphur butterfly (colias eurytheme): Spatial, temporal and spectral properties. *Biological Journal of the Linnean Society* **90**, 349–364.

29. Cotton S, Fowler K, Pomiankowski A. 2004 Do sexual ornaments demonstrate heightened condition-dependent expression as predicted by the handicap hypothesis? *Proceedings of the Royal Society of London. Series B: Biological Sciences* **271**, 771–783.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

30. Egger M, Smith GD, Schneider M, Minder C. 1997 Bias in meta-analysis detected by a simple, graphical test. *BMJ* **315**, 629–634.

31. Taylor LA, Clark DL, McGraw KJ. 2011 Condition dependence of male display coloration in a jumping spider (habronattus pyrrithrix). *Behavioral Ecology and Sociobiology* **65**, 1133–1146.

32. Barry KL, White TE, Rathnayake DN, Fabricant SA, Herberstein ME. 2015 Sexual signals for the colour-blind: Cryptic female mantids signal quality through brightness. *Functional Ecology* **29**, 531–539.

33. Peters A, Kurvers R, Roberts ML, Delhey K. 2011 No evidence for general condition-dependence of structural plumage colour in blue tits: An experiment. *Journal of evolutionary biology* **24**, 976–987.

34. Kemp DJ. 2008 Resource-mediated condition dependence in sexually dichromatic butterfly wing coloration. *Evolution: international journal of organic evolution* **62**, 2346–2358.

35. Megía-Palma R, Martínez J, Merino S. 2016 A structural colour ornament correlates positively with parasite load and body condition in an insular lizard species. *The Science of Nature* **103**, 52.

36. Siefferman L, Hill GE, Dobson FS. 2005 Ornamental plumage coloration and condition are dependent on age in eastern bluebirds sialia sialis. *Journal of Avian Biology* **36**, 428–435.

37. Perrier C, Lope F de, Møller AP, Ninni P. 2002 Structural coloration and sexual selection in the barn swallow hirundo rustica. *Behavioral Ecology* **13**, 728–736.

38. Doucet SM. 2002 Structural plumage coloration, male body size, and condition in the blue-black grassquit. *The Condor* **104**, 30–38.

39. Smiseth PT, Örnborg J, Andersson S, Amundsen T. 2001 Is male plumage reflectance correlated with paternal care in bluethroats? *Behavioral Ecology* **12**, 164–170.

40. Keyser AJ, Hill GE. 2000 Structurally based plumage coloration is an honest signal of quality in male blue grosbeaks. *Behavioral Ecology* **11**, 202–209.

41. Schull Q, Dobson FS, Stier A, Robin J-P, Bize P, Viblanc VA. 2016 Beak color dynamically signals changes in fasting status and parasite loads in king penguins. *Behavioral Ecology*, arw091.

42. Henderson LJ, Heidinger BJ, Evans NP, Arnold KE. 2013 Ultraviolet crown coloration in female blue tits predicts reproductive success and baseline corticosterone. *Behavioral Ecology* **24**, 1299–1305.

43. Zirpoli JA, Black J, Gabriel P. 2013 Parasites and plumage in steller's jays: An experimental field test of the parasite-mediated handicap hypothesis. *Ethology Ecology & Evolution* **25**, 103–116.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

44. Freeman-Gallant CR, Taff CC, Morin DF, Dunn PO, Whittingham LA, Tsang SM. 2010 Sexual selection, multiple male ornaments, and age-and condition-dependent signaling in the common yellowthroat. *Evolution: International Journal of Organic Evolution* **64**, 1007–1017.

45. Nicolaus M, Le Bohec C, Nolan PM, Gauthier-Clerc M, Le Maho Y, Komdeur J, Jouventin P. 2007 Ornamental colors reveal age in the king penguin. *Polar Biology* **31**, 53–61.

46. Quinard A, Cézilly F, Motreuil S, Rossi J-M, Biard C. 2017 Reduced sexual dichromatism, mutual ornamentation, and individual quality in the monogamous zenaida dove zenaida aurita. *Journal of Avian Biology* **48**, 489–501.

47. Molnár O, Bajer K, Mészáros B, Török J, Herczeg G. 2013 Negative correlation between nuptial throat colour and blood parasite load in male european green lizards supports the hamilton–zuk hypothesis. *Naturwissenschaften* **100**, 551–558.

48. Grindstaff JL, Lovern MB, Burtka JL, Hallmark-Sharber A. 2012 Structural coloration signals condition, parental investment, and circulating hormone levels in eastern bluebirds (sialia sialis). *Journal of Comparative Physiology A* **198**, 625–637.

49. Bajer K, Molnar O, Török J, Herczeg G. 2012 Temperature, but not available energy, affects the expression of a sexually selected ultraviolet (uv) colour trait in male european green lizards. *PLoS One* **7**, e34359.

50. Roberts ML, Ras E, Peters A. 2009 Testosterone increases uv reflectance of sexually selected crown plumage in male blue tits. *Behavioral Ecology* **20**, 535–541.

51. Silva N, Avilés JM, Danchin E, Parejo D. 2008 Informative content of multiple plumage-coloured traits in female and male european rollers. *Behavioral Ecology and Sociobiology* **62**, 1969.

52. Bitton P-P, Dawson RD. 2008 Age-related differences in plumage characteristics of male tree swallows tachycineta bicolor: Hue and brightness signal different aspects of individual quality. *Journal of Avian Biology* **39**, 446–452.

53. Balenger SL, Scott Johnson L, Brubaker JL, Ostlind E. 2007 Parental effort in relation to structural plumage coloration in the mountain bluebird (sialia currucoides). *Ethology* **113**, 838–846.

54. Siitari H, Alatalo RV, Halme P, Buchanan KL, Kilpimaa J. 2007 Color signals in the black grouse (tetrao tetrix): Signal properties and their condition dependency. *The American Naturalist* **169**, S81–S92.

55. Mougeot F, Arroyo BE. 2006 Ultraviolet reflectance by the cere of raptors. *Biology Letters* **2**, 173–176.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

56. Kemp DJ, Vukusic P, Rutowski R. 2006 Stress-mediated covariance between nano-structural architecture and ultraviolet butterfly coloration. *Functional Ecology* **20**, 282–289.

57. Kemp DJ. 2006 Heightened phenotypic variation and age-based fading of ultraviolet butterfly wing coloration. *Evolutionary Ecology Research* **8**, 515–527.

58. Peters A, Delhey K, Goymann W, Kempenaers B. 2006 Age-dependent association between testosterone and crown uv coloration in male blue tits (parus caeruleus). *Behavioral Ecology and Sociobiology* **59**, 666–673.

59. Mougeot F, Redpath SM, Leckie F. 2005 Ultra-violet reflectance of male and female red grouse, lagopus lagopus scoticus, sexual ornaments reflect nematode parasite intensity. *Journal of Avian Biology* **36**, 203–209.

60. Hill GE, Doucet SM, Buchholz R. 2005 The effect of coccidial infection on iridescent plumage coloration in wild turkeys. *Animal Behaviour* **69**, 387–394.

61. Doucet SM, Montgomerie R. 2003 Multiple sexual ornaments in satin bowerbirds: Ultraviolet plumage and bowers signal different aspects of male quality. *Behavioral Ecology* **14**, 503–509.

62. Hahn S, Peter H-U. 2003 Sex and age dependency of wing patch size in brown skuas. *Emu* **103**, 37–41.

63. McGraw KJ, Mackillop EA, Dale J, Hauber ME. 2002 Different colors reveal different information: How nutritional stress affects the expression of melanin-and structurally based ornamental plumage. *Journal of Experimental Biology* **205**, 3747–3755.

64. Molnár O, Bajer K, Török J, Herczeg G. 2012 Individual quality and nuptial throat colour in male e uropean green lizards. *Journal of Zoology* **287**, 233–239.

65. Griggio M, Zanollo V, Hoi H. 2010 UV plumage color is an honest signal of quality in male budgerigars. *Ecological Research* **25**, 77–82.

66. Viblanc VA *et al.* 2016 Mutually honest? Physiological 'qualities' signalled by colour ornaments in monomorphic king penguins. *Biological Journal of the Linnean Society* **118**, 200–214.

67. Lim ML, Li D. 2006 Effects of age and feeding history on structure-based uv ornaments of a jumping spider (araneae: Salticidae). *Proceedings of the Royal Society B: Biological Sciences* **274**, 569–575.

68. Bitton P-P, Dawson RD, Ochs CL. 2008 Plumage characteristics, reproductive investment and assortative mating in tree swallows tachycineta bicolor. *Behavioral Ecology and Sociobiology* **62**, 1543–1550.

69. Beck ML, Hopkins WA, Hawley DM. 2015 Relationships among plumage coloration, blood selenium concentrations and immune responses of adult and nestling tree swallows. *Journal of Experimental Biology* **218**, 3415–3424.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

70. Senior AM, Grueber CE, Kamiya T, Lagisz M, O'dwyer K, Santos ES, Nakagawa S. 2016 Heterogeneity in ecological and evolutionary meta-analyses: Its magnitude and implications. *Ecology* **97**, 3293–3299.

71. Ah-King M, Barron AB, Herberstein ME. 2014 Genital evolution: Why are females still understudied? *PLoS Biology* **12**, e1001851.

72. Griffith SC, Parker TH, Olson VA. 2006 Melanin- versus carotenoid-based sexual signals: Is the difference really so black and red? *Animal Behaviour* **71**, 749–763. (doi:10.1016/j.anbehav.2005.07.016)

73. Murphy ME, King JR, Lu J. 1988 Malnutrition during the postnuptial molt of white-crowned sparrows: Feather growth and quality. *Canadian Journal of Zoology* **66**, 1403–1413.

74. Negro Juan Jose, Bildstein KL, Bird DM. 1994 Effects of food deprivation and handling stress on fault-bar formation in nestling american kestrels (falco sparverius). *ARDEA* **82**, 263–267.

75. Shawkey MD, Estes AM, Siefferman LM, Hill GE. 2003 Nanostructure predicts intraspecific variation in ultraviolet-blue plumage colour. *Proc R Soc B* **270**, 1455–1460. (doi:10.1098/rspb.2003.2390)

76. Kemp DJ, Vukusic P, Rutowski RL. 2006 Stress-mediated covariance between nano-structural architecture and ultraviolet butterfly coloration. *Functional Ecology* **20**, 282–289. (doi:10.1111/j.1365-2435.01100.x)

77. Cotton S, Fowler K, Pomiankowski A. 2004 Condition dependence of sexual ornament size and variation in the stalk-eyed fly cyrtodiopsis dalmanni (diptera: Diopsidae). *Evolution* **58**, 1038–1046.

78. Pomiankowski A, Møller AP. 1995 A resolution of the lek paradox. *Proceedings of the Royal Society of London. Series B: Biological Sciences* **260**, 21–29.

79. Seago AE, Brady P, Vigneron J-P, Schultz TD. 2009 Gold bugs and beyond: A review of iridescence and structural colour mechanisms in beetles (coleoptera). *Journal of the Royal Society Interface* **6**, S165–S184. (doi:10.1098/rsif.2008.0354.focus)

80. Mouchet SR, Vukusic P. 2018 Structural colours in lepidopteran scales. In *Advances in insect physiology*, pp. 1–53. Elsevier.

81. Loyau A, Gomez D, Moureau BT, Thery M, Hart NS, Saint Jalme M, Bennett ATD, Sorci G. 2007 Iridescent structurally based coloration of eyespots correlates with mating success in the peacock. *Behavioral Ecology* **18**, 1123–1131. (doi:10.1093/beheco/arm088)

82. Hogan BG, Stoddard MC. 2018 Synchronization of speed, sound and iridescent color in a hummingbird aerial courtship dive. *Nature Communications* **9**.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

83. White TE, Zeil J, Kemp DJ. 2015 Signal design and courtship presentation coincide for highly biased delivery of an iridescent butterfly mating signal. *Evolution* **69**, 14–25.

84. Foster DH, Amano K, Nascimento SM. 2001 How temporal cues can aid colour constancy. *Color Research & Application* **26**, S180–S185.

bioRxiv preprint doi: https://doi.org/10.1101/2020.01.01.892547; this version posted January 2, 2020. The copyright holder for this preprint (which was not certified by peer review) is the author/funder. All rights reserved. No reuse allowed without permission.

Figures



Figure 1: Forest plot of the mediators of the correlation between structural colour signal expression and individual quality. Shown are Pearson's correlations back transformed from Fisher's z, with 95% confidence intervals about the mean. Sample sizes are displayed on the right.