

1 **How reliable are ligand-centric methods for Target Fishing?**

2 Antonio Peón, Cuong C. Dang and Pedro J. Ballester*

3 Cancer Research Center of Marseille, INSERM U1068, F-13009 Marseille, France; Institut Paoli-
4 Calmettes, F-13009 Marseille, France; Aix-Marseille Université, F-13284 Marseille, France; and CNRS
5 UMR7258, F-13009 Marseille, France

6 **Correspondence to: pedro.ballester@inserm.fr*

7 Computational methods for Target Fishing (TF), also known as Target Prediction or
8 Polypharmacology Prediction, can be used to discover new targets in small-molecule drugs. This
9 may result in repositioning the drug in a new indication or improving our current understanding of
10 its efficacy and side effects. While there is a substantial body of research on TF methods, there is
11 still a need to improve their validation, which is often limited to a small part of the available targets
12 and not easily interpretable by the user. Here we discuss how target-centric TF methods are
13 inherently limited by the number of targets that can possibly predict (this number is by construction
14 much larger in ligand-centric techniques). We also propose a new benchmark to validate TF
15 methods, which is particularly suited to analyse how predictive performance varies with the query
16 molecule. On average over approved drugs, we estimate that only five predicted targets will have to
17 be tested to find two true targets with submicromolar potency (a strong variability in performance
18 is however observed). In addition, we find that an approved drug has currently an average of eight
19 known targets, which reinforces the notion that polypharmacology is a common and strong event.
20 Furthermore, with the assistance of a control group of randomly-selected molecules, we show that
21 the targets of approved drugs are generally harder to predict.

1 **1. Introduction**

2 Target Fishing (TF)(Cereto-Massagué et al., 2015; Lavecchia and Cerchia, 2015), also known as
3 Target Prediction or Polypharmacology Prediction, consists in predicting the macromolecular
4 targets of a query molecule. This problem is the reverse of Virtual Screening (VS) (Schneider,
5 2010; Sukumar and Das, 2011), where the goal is to predict the ligands of a query target.
6 Computational methods for TF are of great interest, as identifying previously unknown targets of a
7 molecule is the basis of a number of important drug design and chemical biology applications
8 (Ursu and Waldmann, 2015). Indeed, discovering a new target in a drug could lead to its
9 reposition in a new indication as well as an enhanced understanding of its efficacy and side-effects
10 (Huang et al., 2014). Furthermore, these tools can be used for target deconvolution of phenotypic
11 screening hits (Lee and Bogoy, 2013), which is a prerequisite to gain mechanistic understanding
12 of phenotypic activity and helpful for drug development. This two-stage process, phenotypic
13 screening followed by target deconvolution, constitutes an attractive alternative strategy for the
14 discovery of molecularly targeted therapies.

15 The fast growth of freely-available bioactivity resources, e.g. PubChem (Cheng et al., 2014) or
16 ChEMBL (Bento et al., 2014), has sparked a new generation of powerful data-driven methods for
17 TF. This growth is exemplified by the ChEMBL database, which in a few years has assembled and
18 fully curated chemical structures and bioactivities from more than 50,000 scientific publications
19 (Bento et al., 2014). Moreover, this database is periodically updated and will eventually
20 incorporate a flood of new data that is being extracted from the patent literature (Papadatos et al.,
21 2015). As discussed by (Cereto-Massagué et al., 2015), TF methods have been categorised into
22 those based on molecular similarity (Liu et al., 2014), machine learning (van Laarhoven et al.,

1 2011), protein structure analysis (Gao et al., 2008) and bioactivity spectra analysis (Füllbeck et al.,
2 2009; Holbeck et al., 2010). Some of these methods have been made available as web servers
3 (Gfeller et al., 2014; Wang et al., 2013).

4 Here we propose a new classification of TF methods into two broad categories: *target-centric*
5 and *ligand-centric*. Target-centric methods are defined as those building a predictive model for
6 each considered target. Each of these models is thereafter used to predict whether the query
7 molecule has activity against the corresponding target (other names for the query molecule are
8 common, such as test compound, test molecule or test ligand). Thus, this panel of models provides
9 a set of predicted targets for any query molecule. Many target-centric TF methods are based on
10 multi-target Quantitative Structure–Activity Relationship (QSAR) models (Speck-Planche and
11 Cordeiro, 2015; Zanni et al., 2014). The model is typically trained on large sets of active and
12 inactive target-ligand instances derived from a database of target-annotated molecules (the training
13 set). These models have employed various regression or classification techniques, such as Kernel
14 Classifiers (van Laarhoven et al., 2011), Winnow (Nigsch et al., 2008), Ranking Perceptron (Yu et
15 al., 2012), Random Forest (Yu et al., 2012) or Naïve Bayes Classifier (Koutsoukas et al., 2013).
16 Instead of supervised learning, other target-centric techniques are based on unsupervised learning
17 such as the Similarity Ensemble Approach (SEA)(Keiser et al., 2007, 2009). SEA constructs a
18 model for each target estimating how likely is the query molecule to belong to the set of cognate
19 ligands of the target based on an underlying molecular similarity metric. In addition, there are
20 target-centric methods that can estimate whether the query molecule binds to a structural model of
21 the target (Schomburg and Rarey, 2014). These methods are in principle able to interrogate targets

1 without known ligands, although their success largely depends on the accuracy of the employed
2 scoring function (Ain et al., 2015).

3 On the other hand, ligand-centric methods are those based on the similarity of the query
4 molecule to a very large set of target-annotated molecules. This similarity can be in terms of 2D
5 chemical structure (Nettles et al., 2006) using circular fingerprints (Rogers and Hahn, 2010), 3D
6 molecular properties (Cortés-Cabrera et al., 2013) using Ultrafast Shape Recognition variants
7 (Armstrong et al., 2010; Ballester and Richards, 2007; Ballester, 2011) or NCI-60 bioactivity
8 spectra (Holbeck et al., 2010) using cellular fingerprints (Füllbeck et al., 2009). Note that there are
9 similarity-based methods that are not ligand-centric. This is the case of TAMOSIC (Wang et al.,
10 2013), which learns the optimal similarity cutoff for each target with at least 30 ligands.

11 An important advantage of ligand-centric methods over target-centric methods has been so far
12 overlooked. Whereas ligand-centric methods can interrogate any target that has at least one known
13 ligand, target-centric models can only evaluate the typically much smaller set of targets for which
14 a model can be built. For instance, TarFisDock (Gao et al., 2008) predictions are limited to 1100
15 targets with available crystal structure and known binding site, whereas SEA (Keiser et al., 2007,
16 2009) only evaluates targets with at least five known ligands. This means that target-centric
17 methods are by construction blind to up to thousands of targets considered by ligand-centric
18 techniques, but this is not obvious as target-centric performance is only evaluated on qualifying
19 targets. Target-centric and ligand-centric methods are nevertheless complementary. Indeed, in
20 cases where the targets of interest are known to have many ligands, more accurate target-centric
21 models could be possible and thus these tools are likely to be more suitable. By contrast, in cases

1 where evaluating as many targets as possible is preferable, ligand-centric tools would be more
2 appealing, as these provide a much wider coverage of the proteome.

3 Unfortunately, it is unclear how well ligand-centric methods work in practice due to the
4 limitations of existing benchmarks. Some validations have been restricted to a few tens of ligand-
5 rich targets using benchmarks borrowed from VS (AbdulHameed et al., 2012) and thus tell us very
6 little about how well the methods will perform on the many remaining targets. Furthermore, some
7 performance measures, such as the ROC (Receiver Operating Characteristic) AUC (Area Under
8 Curve), do not precisely measure TF performance. For example, how many true targets of a query
9 molecule one is likely to find in practice using a method that has obtained an average ROC AUC
10 of 0.7 over 40 targets? On the other hand, TF is often posed as a multi-category classification
11 problem, which formulates a binary classification problem per target and thus the variation of
12 predictive performance across query molecules has not been analysed in these studies.
13 Importantly, these benchmarks exclude many possible targets of the analysed molecules because
14 the corresponding target-centric models could not be trained on the excluded targets. As a result of
15 these limitations, current benchmarks offer little guidance on pragmatic questions such as how
16 many predicted targets have to be tested on average to find a true target, how many known targets
17 are typically missed or how such performance varies with the query molecule.

18 In this study, we propose a new benchmark to validate TF methods, which naturally lends
19 itself to answer such questions. This is based on formulating a binary classification problem for
20 each query molecule. From this new perspective, we provide a lower-bound for the current
21 performance of ligand-centric methods representing the minimum that can be expected nowadays
22 from them. As a byproduct, our analysis provides an update for the degree of polypharmacology

1 observed in approved drugs. The rest of the paper is organised as follows. Section 2 describes the
2 experimental setup, including data selection, data partitions, TF method and performance metrics.
3 Section 3 discusses the results. Section 4 presents the conclusions.

4 **2. Experimental setup**

5 This section describes the setup of all the numerical experiments carried out in this study. This
6 setup is composed of the following elements: data selection, data partitions, TF method and
7 measures of predictive performance. All molecular data processing is done with SQL queries from
8 Python 2.7.9 on a local copy of the ChEMBL database running PostgreSQL 9.4.3, with molecular
9 similarity searches using in addition the RDKit PostgreSQL cartridge (2015.03.1 release).

10 **2.1. Data selection**

11 The first step is constructing datasets from the ChEMBL database. We started by downloading
12 release 20 as a PostgreSQL dump (ChEMBL_20 release), which contains data for 10,774 targets,
13 1,456,020 molecules with disclosed chemical structure and 13,520,737 bioactivities.

14 Single-protein was the most common target type (6,018 of the 10,774 targets). In order to
15 provide the most specific target prediction, we restricted to single-protein targets, which
16 incidentally constitutes the largest molecular target type in the database (the 'protein complex',
17 'protein family' and 'nucleic-acid' types only have 261, 217 and 29 targets, respectively). The
18 remaining general constraints were requiring the maximum confidence_score = 9 (i.e. direct
19 single-protein target assigned by the data curator), activities.published_relation = '=', assay_type =
20 'B' and standard_units = 'nM'. As a result of this process, 888,354 molecules were found to be
21 associated to the 6,018 single-protein targets through 4,871,527 bioactivities.

1 Further requirements are commonly imposed for the measured bioactivity of a ligand against a
2 target to be counted as a known target for that ligand. First, the bioactivity measurement must be
3 of relatively high quality, activities.standard_type IN ('EC50','Ki','Kd','IC50'), which discards
4 percentages of inhibition among other lower-quality measurements. Second, only complexes with
5 a sufficiently potent bioactivity are retained (common activity thresholds are 1 μ M and 10 μ M
6 meaning that a ligand hitting any target with an activity higher than 10 μ M will not be considered
7 to be a target in neither of these two scenarios). Third, only targets with at least n qualifying
8 ligands are considered. For many target-centric methods, a sufficiently high number of ligands is
9 needed to build a model for the target, e.g. those methods based on similarity-ensemble
10 approaches (n=5) (Keiser et al., 2009) or multi-target QSAR (n=20) (Koutsoukas et al., 2013). In
11 this study, we analyse ligand-centric methods, which can evaluate any target with at least a known
12 ligand (i.e. n=1) and hence result in a much broader search for targets (3,035 molecular targets
13 with 10 μ M). An analysis of the target coverage of TF methods is carried out in section 3.1.

14 **2.2. Data partitions**

15 Next, we partition each of the two n=1 datasets as follows. First, we identify the subset of
16 approved drugs. Second, we search for all those approved drugs in the ChEMBL database meeting
17 the criteria, with a suitable chemical structure available and hitting any of the targets introduced in
18 the previous section. These are the two approved-drugs sets of query molecules shown in Table 1.
19 Third, we pick at random two further sets of molecules of the same size, which we called random-
20 molecules sets. This will serve as a control group to investigate how target predictions for
21 marketed drugs differ from those made for other types of molecules. The rest of ligands forms the

1 set of database molecules, which is the same for both sets of query molecules but different
2 between thresholds. Table 1 shows the four non-overlapping data partitions A-D (no query
3 molecule is included as database molecule too).

Table 1. Dataset size depending on modelling constraints.

ID	Dataset	#query-molecules	#database-molecules
A	approved-drugs_Thres10 μ M	745	183,282
B	random-molecules_Thres10 μ M	745	183,282
C	approved-drugs_Thres1 μ M	617	147,027
D	random-molecules_Thres1 μ M	617	147,027

4 **2.3. A simple TF method to estimate a lower-bound for performance**

5 For our analysis, we selected a simple two-dimensional chemical similarity search (Willett, 2014)
6 in order to obtain a lower-bound for the performance of ligand-centric TF methods. This goal
7 requires selecting a simple method, rather than an optimal method which would be unlikely to
8 provide such lower-bound. Consequently, we selected the dice score on MACCS fingerprints *ad*
9 *hoc*, although there are of course other valid choices too. We started by generating MACCS
10 fingerprints (Durant et al.) for all query and database molecules in Table 1. Each fingerprint
11 encodes the presence or absence of 166 predetermined chemical groups in the molecule as a
12 binary string of the same size. These were generated using the RDKit (Lamdrum).

13 As usual, fingerprints could not be generated for a few unusual molecules and consequently
14 queries could not be performed for these. This is the case of Gramidicin (ChEMBL1201469),
15 which is actually not a molecule but a mixture of three antibiotic compounds. Other examples are
16 some organometallic compounds such as the anti-rheumatic agent Auranofin (ChEMBL1366).
17 Table 1 compiles all selected molecules for which MACCS fingerprints could be generated.

1 Using their MACCS fingerprints, the Dice score was used to measure the similarity between a
2 query molecule and all the database molecules. The Dice score is defined as:

$$Dice = 2c/(a + b) \quad (1)$$

3 where a is the number of on bits in molecule A, b is number of on bits in molecule B, while c is
4 the number of bits that are on at the same positions in both molecules. For each query, the top k
5 hits can be identified from the corresponding ranking of database molecules (these are the k
6 database molecules with the most similar chemical structure to that of the query molecule). We
7 consider here k = 1, 5, 10 and 15 to investigate the dependence of the method with its only control
8 parameter k.

9 Finally, the known targets for the k hits are retrieved from the ChEMBL database and returned
10 as predicted targets for the considered query molecule. Thus, a set of predicted targets is obtained
11 for each combination of query molecule and k value. Note that a known target is not just any
12 target annotated in the ChEMBL database, but one complying with the requirements set in section
13 2.1. for each of the four cases in Table 1.

14 **2.4. Measuring predictive performance**

15 Each performed query can be posed as a separate classification problem. For validation purposes,
16 the known targets of the query molecule are taken as a ground truth. Thus, we assume that the
17 known targets are all the qualifying targets of the molecule, whereas the rest of considered targets
18 are non-targets for that molecule. However, as the query molecule has only been tested against
19 less than 0.1% of the ChEMBL targets on average, it is expected that many unconfirmed targets,
20 especially those coming from molecules similar to the query molecule, would be actually targets if

1 only these could be comprehensively tested. As a result, any empirically untested target-ligand
2 association that is predicted to be a true association will have to be rejected as false, despite an
3 unknown part of these being actually true targets of the molecule. We must therefore keep in mind
4 that this retrospective validation represents a lower-bound for performance in this sense as well.

5 Table 2 shows the confusion matrix arising from assessing target predictions against
6 experimental evidence for each query molecule. After the assessment, each target prediction can
7 be classed in one of four categories: TP for True Positive (the predicted target is a known target);
8 TN for True Negative (the target was not predicted but anyway is not known to be a target); FP for
9 False Positive (the predicted target is not known to be a target, i.e. a false discovery or Type I
10 error); and FN for False Negative (the target was not predicted and it is actually a target, i.e.
11 missed discovery or Type II error).

Table 2. Confusion matrix arising from assessing target predictions against experimental evidence for each query molecule.

Target	Predicted	Non-predicted
Yes (experimentally tested)	TP	FN
No (not tested/tested)	FP	TN

12 From these quantities, we will calculate four performance measures per query molecule.

13 Accuracy is the proportion of correct target predictions:

$$Accuracy = \frac{TP + TN}{TP + FP + TN + FN} \quad (2)$$

14 Precision is the proportion of new targets that would be obtained after experimentally
15 validating the predictions of the method:

$$\text{Precision} = \frac{\text{Number of known targets correctly predicted}}{\text{Number of predicted targets}} = \frac{TP}{TP + FP} \quad (3)$$


1 Recall accounts for the proportion of true targets that the method has missed:

$$\text{Recall} = \frac{\text{Number of known targets correctly predicted}}{\text{Number of known targets}} = \frac{TP}{TP + FN} \quad (4)$$

2 The Matthews Correlation Coefficient (MCC) captures both types of error in a single metric,
3 with higher values being better up to +1 (perfect classification):

$$\text{MCC} = \frac{TP \times TN - FP \times FN}{\sqrt{(TP + FP)(TP + FN)(TN + FP)(TN + FN)}} \quad (5)$$

4 Lastly, the Number of Predicted Targets (NPT) will be also reported to investigate how this
5 varies with the method's control parameter k. The entire workflow is sketched in Figure 1.



6 **Figure 1.** Generic workflow to apply and validate a ligand-centric method for TF.
7

1 3. Results and Discussion

2 Four key questions along with two representative case studies are addressed in this section. The
3 analysis is based on the performance obtained by the query molecules in the four datasets in Table
4 2, which will be summarised with boxplots of precision, recall, MCC and NPT.

5 3.1. *How many targets are being missed by target-centric TF techniques?*

6 The first two rows of Table 3 show the number of targets considered by a ligand-centric TF
7 method with two target definitions (i.e. activity thresholds of 1 μ M and 10 μ M). The remaining
8 rows show the number of targets considered by exemplary target-centric methods as a result of
9 only considering targets with at least 5-40 ligands. To allow a fair comparison, we have calculated
10 the number of targets using the same selection criteria on chembl20 data (section 2.1), except for
11 the minimum number of ligands required by each method and the selected activity threshold.

Table 3. Numbers of considered targets and number of missed targets depending on the data selection criteria of the employed benchmark.


Dataset	Only targets & activity with at least	below	#Targets in study	#Targets if chembl20	#Targets missed
This study	1 ligand	1 μ M	2,580	2,580	0
This study	1 ligand	10 μ M	3,035	3,035	0
(Keiser et al., 2007)	5 ligands	1 μ M	246	1,788	792
(Mugumbate et al., 2015)	10 ligands	10 μ M	1,543	1,804	1,231
(Koutsoukas et al., 2013)	20 ligands	10 μ M	894	1,378	1,657
(Wang et al., 2013)	30 ligands	10 μ M	794	1,104	1,931
(Martínez-Jiménez et al., 2013)	40 ligands	10 μ M	1,258	917	2,118

12 For example, target-centric methods powered by models requiring at least 40 ligands per target
13 and defining a target with an activity threshold of 10 μ M would be predicting whether the query
14 molecule has activity against any of the 917 qualifying single-protein targets. In contrast, a ligand-
15 centric method with the same activity threshold will be able to evaluate 2,118 targets more, for

1 which the first method is unable to provide any prediction by construction. Of course, the
2 advantage of target-centric over ligand-centric methods is that the former will tend to perform
3 better on those targets with a high number of ligands, which highlights the complementarity of
4 both approaches. It would be interesting if the performance of target-centric methods was
5 evaluated per target and analysed against its number of cognate ligands, as it is currently unknown
6 how reliable are their predictions on the many targets with only a few ligands above the minimum.

7 **3.2. How many targets are typically hit by a molecule?**

8 For each of the four cases in Table 2, Figure 2 shows boxplots summarising the distribution of the
9 number of known single-protein targets (NKTs) across query molecules.



11 **Figure 2. (left)** Boxplots with the number of known targets (NKT) across query molecules.
12 **(right)** A zoom of the same boxplots on the right (the average number of known targets is marked
13 with a dashed blue line, whereas the median is given by the continuous red line). A = (Approved,
14 10µM), B = (Random, 10µM), C = (Approved, 1µM), D = (Random, 1µM).

15

1 On the left, a substantial number of strong outliers are appreciated. These correspond to
2 promiscuous query molecules such as sunitinib, which has 192 submicromolar targets (262 targets
3 using the 10 μ M threshold). In contrast, there are also seemingly selective drugs like the
4 antiretroviral agent Nelfinavir with only one known target below 1 μ M (HIV-1 protease; although
5 there are also many non-molecular targets annotated in ChEMBL for this drug). On the right, we
6 can appreciate that approved drugs currently have an average of eight known targets with potency
7 better than 10 μ M, although the median number is three targets. This new estimate is based on 745
8 drugs and their 1,076 targets and it is two targets higher than previous estimates using less data
9 (802 drugs and 480 targets) (Mestres et al., 2009). However, the boxplot's lower quartile value
10 indicates that at least 25% of these drugs have just one known target and thus seem very selective.
11 It is also noteworthy in Figure 2 that the number of annotated targets for the set of random
12 molecules is smaller than that for approved drugs, with four targets on average instead of eight.
13 This substantial difference is likely to be due to a much higher number of targets being tested
14 during the process of developing a drug.

15 **3.3. *How many predicted targets have to be tested to find a true target?***


16 Table 4 presents average performance results for approved drugs (set A), with the TF method
17 using four different k values. As k increases, Type I errors increase (lower precision) and Type II
18 errors decrease (higher recall). In other words, as more top hits are used to provide predicted
19 targets, fewer known targets are missed. However, this comes at the cost of having more false
20 positives, as target inferences are made using increasingly less similar database molecules. Using
21 the top 5 hits to predict targets (i.e. k=5) provides the best compromise between these conflictive

1 objectives (i.e. the highest average MCC). This setting leads to 5.04 predicted targets on average
2 over these query molecules (note that each top hit may have more than one known target, but
3 collectively provide fewer targets because some of these are repeated in the set). Lastly, the very
4 high average accuracy values are due to each classification problem being highly unbalanced and
5 the method correctly discarding the vast majority of non-targets. Nevertheless, unlike precision
6 and recall, accuracy is not suitable to measure Type I and II errors and hence is not helpful to
7 address the investigated questions.

Table 4. Average (av) performance of the TF method on query molecules from set A= (Approved, 10 μ M). These molecules have an average of 8.3 known targets.

k	avNPT	avAccuracy	avPrecision	avRecall	avMCC
1	1.92	0.997	0.434	0.212	0.269
5	5.04	0.997	0.352	0.341	0.303
10	7.91	0.996	0.296	0.403	0.300
15	10.32	0.995	0.257	0.437	0.289

8 Figure 3 shows the distribution of the NPT across query molecules using k=5. By comparing it
9 with Figure 2, it is observed that there are substantially more known targets than predicted targets
10 for approved drugs using the top 5 hits for predictions (this is not the case for the sets of random
11 molecules, where most query molecules have a higher number of predicted targets than of known
12 targets).




1

2 **Figure 3. (left)** Boxplots with the number of predicted targets (NPT) across query molecules using
3 $k=5$; **(right)** A zoom of the same boxplots on the right (the average number of known targets is
4 marked with a dashed blue line, whereas the median is given by the continuous red line). A =
5 (Approved, 10 μ M), B = (Random, 10 μ M), C = (Approved, 1 μ M), D = (Random, 1 μ M).

6 Figure 4(left) summarises the distribution of precision results across the query molecules. For
7 approved drugs, the average precision is 0.35 in the 10 μ M case (0.38 in the 1 μ M case). That
8 is, despite the simplicity of the method and thanks to the wealth of data on which it relies,
9 only five predicted targets will have to be tested in order to find two true targets with potency
10 better than 1 μ M. In all cases, there is strong performance variability across the query
11 molecules, as it can be appreciated by the large interquartile range of each boxplot. For
12 instance, in set C, the predictions for the targets of 109 drugs are of the highest precision
13 (precision=1), those for other 216 drugs not precise at all (precision=0) and those for the
14 remaining 420 drugs have intermediate precision values (in other words, hit rates are neither
15 0% nor 100%). Also, the cases with a tighter activity threshold of 1 μ M are on average slightly
16 better predicted than their counterparts using 10 μ M. Specific cases with high- and low-
17 precision performance will be discussed in section 3.5. On the other hand, the sets with

1 random molecules obtained much better results than those with approved drugs. Thus, if we
2 order the four cases by average precision (dashed blue line in Figure 4), this gives the
3 following performance hierarchy $D > B > C > A$ (i.e. D obtains higher average precision than B,
4 B better than C and C better than A). Interestingly, this is the opposite ranking for the number
5 of known targets ($A > C > B > D$). In other words, those sets with a higher number of known
6 targets tend to be harder to predict.



7
8 **Figure 4.** Performance the TF method with $k=5$. From left to right, boxplots for precision, recall and mcc
9 across the query molecules in each of the four data partitions: A = (Approved, $10\mu\text{M}$), B = (Random,
10 $10\mu\text{M}$), C = (Approved, $1\mu\text{M}$), D = (Random, $1\mu\text{M}$). The average and median values of each performance
11 metric are shown as dashed blue lines and continuous red lines, respectively.

12 However, the cause of obtaining lower predictive accuracy with approved drugs is not their higher
13 number of known targets *per se*, but an underlying factor correlated with it: the query drug and its
14 top hits, which should include some of the chemical derivatives that eventually led to this drug,
15 often have a lower overlap in terms of known targets. One contributing factor for a low overlap is
16 that two similar chemical structures do not always have affinity for the same targets. There is
17 abundant literature analysing these pathological cases known as activity cliffs (Medina-Franco,
18 2013). Furthermore, even the top hits might not be highly similar to the query molecule, although

1 this issue will become less frequent as more molecules are included in chemogenomics databases.
2 Another contributing factor is that some of the top hits could have been tested against a range of
3 targets in other studies, which might not have included the drug and thus this molecule would not
4 have been tested against the targets (a lower precision for this query molecule would be
5 consequently obtained, as such targets would be perceived as false positives). Importantly, while
6 these are not known targets of the drug, some are expected to become a known target once tested.
7 In contrast, a molecule from the randomly-chosen set often has a larger overlap with its top hits
8 (e.g. in set D, the predicted targets of 324 randomly-chosen molecules have precision=1, whereas
9 those for just 35 randomly-chosen molecules have precision=0). The latter cases are likely to arise
10 from a situation where a chemical series is investigated against a set of related targets to be later
11 abandoned (Waring et al., 2015). This would explain the lower number of known targets and the
12 smaller predictive errors for these sets.

13 **3.4. *How many known targets of the query molecule are typically missed?***

14 Addressing this question is necessary to estimate how many discoveries are being missed by the
15 ligand-centric method, but it has not been investigated with regards to employed query molecule.
16 Figure 4 presents the results in terms of recall (middle plot). Looking at the recall boxplots, only
17 about 10% of the targets are on average missed in the sets of random molecules (i.e. recall~0.9),
18 whereas the mean of missed targets for approved drugs is about 65%. A large part of these missed
19 targets might be due to more intense research on the drug after approval than on its chemical
20 derivatives, leading to many targets being tested in the former but not the latter.

1 On the other hand, the MCC boxplots (Figure 4 right plot) show the distribution of the total error
2 across query molecules, with a high MCC necessarily meaning that the query molecule obtains
3 low levels of both Type I and II errors. The latter occurs to most random molecules regardless of
4 the activity threshold (almost 75% of these query molecules have MCCs higher than 0.6). In
5 contrast, only a small proportion of approved drugs are in this category. Again, the performance
6 hierarchy is D>B>C>A for both recall and MCC. Here, a higher number of known targets in the
7 query molecules is also correlated with the difficulty of predicting their targets, but this is also
8 explained by the different ways in which the query molecules and their hits were tested against
9 targets.


10 **3.5. Representative case studies**

11 Section 3.2 analysed the NKT across query molecules. As discussed in section 3.3, the NKT of a
12 molecule depends on its intrinsic polypharmacology, but also on how comprehensively the
13 molecule has been tested across targets by the relevant scientific communities (we will call
14 *observed polypharmacology* to the combination of these two factors). In the adopted TF method,
15 the NPT of a molecule is given by the NKTs from its top 5 hits according to the dice score on
16 MACCS fingerprints. Thus, the NPT for the query molecule depends in turn on the observed
17 polypharmacology of each of these hits. In this section, we analyse two approved drugs
18 representing cases where the difference in observed polypharmacology between the drug and its
19 top hits are large in one direction ($NKT \gg NPT$) or the other ($NKT \ll NPT$).

20 The first case has nilotinib as the query molecule. Nilotinib was presented as a small-molecule
21 selective tyrosine kinase inhibitor (Manley et al., 2010). However, we now know that this

1 marketed drug has at least $NKT=67$ known molecular targets under $10\mu M$, of which 14 are not
2 kinases. In contrast, its top 5 hits collectively hit just nine targets ($NPT=9$). This is not surprising
3 given the intense research interest in nilotinib as a targeted drug for the treatment of imatinib-
4 resistant Chronic Myeloid Leukemia (Breccia and Alimena, 2010), but less so in its top hits from
5 database molecules containing no drugs by construction. Figure 5A illustrates the proposed
6 validation approach on nilotinib as the degree of overlap between the target spaces spanned by the
7 query molecule and its top hits. Since predicted targets can only be either a true target or not, $TP +$
8 $FP = NPT$. Likewise, known targets are either correctly predicted or not and thus $TP + FN = NKT$.
9 As explained in section 2.4, the hit rate is given $\text{precision} = TP/NPT$, thus $\text{precision} = 0.89$. In other
10 words, the TF method retrospectively obtains an 89% hit rate for nilotinib (i.e. finding eight true
11 targets of nilotinib in nine predicted targets). However, 59 known targets of nilotinib are missed
12 by this method, as indicated by a low $\text{recall} = TP/NKT$ of 0.12. This evidences that a method
13 offering a high hit rate, while highly satisfying from a cost-effectiveness perspective, must be
14 complemented by a high recall to be optimal.

15 Figure 5B shows the validation for the second case, which analyses the antimalarial agent
16 chloroquine. $NKT=3$, $NPT=21$, $\text{precision}=0.05$ and $\text{recall}=0.33$ are obtained in these case. This
17 represents a modest hit rate of just 5%, implying that a high experimental effort would have been
18 associated to this discovery. However, the method obtains a higher recall with chloroquine than
19 with nilotinib, which means that a lower proportion of known targets are being missed.



1
2 **Figure 5.** Overlap of the target spaces under 10 μ M spanned by the query molecule (blue circle representing
3 its known targets) and its top hits (green circle representing predicted targets given by the known targets of
4 its top 5 hits) according to the employed TF method. **(A)** Nilotinib as the query molecule. **(B)** Chloroquine
5 as the query molecule.

6 There are a total of 21 FP target predictions in both query molecules. However, none of these
7 target-ligand pairs have actually been tested (i.e. no bioactivity associated to them in ChEMBL.
8 Since they come from the most similar molecules to the query, it is likely that some of these
9 predictions will result in the discovery of new targets of these query molecules once tested. For
10 instance, the only FP of nilotinib is human GRM5 (metabotropic glutamate receptor 5;
11 CHEMBL3227), which is a known target of the 4th and 5th most similar database molecules to
12 nilotinib (CHEMBL2346729 and CHEMBL2346732, both with submicromolar affinity for this
13 target). Another exciting prospect is one of the 20 unconfirmed FPs from chloroquine, human
14 CCR4 (C-C chemokine receptor type 4; CHEMBL2414), which also a clinically-relevant target
15 and also been predicted by two of the top 5 hits (CHEMBL194930 and CHEMBL195203, both
16 with single-digit micromolar potency).

1 **4. Conclusions**

2 We have shown that ligand-centric techniques for TF are capable of considering up to thousands
3 of targets more than target-centric techniques. This important advantage means that ligand-centric
4 techniques have their niche in TF. We have also discussed the limitations of current benchmarks to
5 test TF methods and consequently we have designed a new benchmark that overcomes them.
6 Using the proposed benchmark, it has been possible to investigate how reliable are ligand-centric
7 methods for TF depending on the employed query molecule. Despite the simplicity of the adopted
8 method and owing to the wealth of data on which it relies, we have found that only five predicted
9 targets will have to be tested in order to find two true targets with potency better than 1 μ M on
10 average over marketed drugs. This level of performance is already useful for prospective
11 applications and it is encouraging that there is plenty of scope for methodological improvement.
12 The latter will be particularly needed to reduce the high number of false negatives, i.e. known
13 targets that are currently missed by ligand-centric techniques. It is worth noting that, while this
14 issue has not been investigated yet for target-centric techniques, the many targets not considered
15 by this class of techniques are by construction false negatives of any molecule that hits them. We
16 have argued that this drawback is hard to appreciate as target-centric techniques only report
17 predictive performance achieved on the typically much smaller set of considered targets.

18 The results for the set of randomly-selected molecules used as a control group are substantially
19 better than those for approved drugs. We have discussed how the different way in which targets
20 are tested against the query molecules and their top hits is the primary reason for this marked
21 difference. Since approved drugs have been presumably tested against many more targets, we
22 consider that their performance level is more realistic than that of the control set. Interestingly, we

1 have identified an average of eight known targets under 10 μ M in approved drugs, which
2 reinforces the notion that polypharmacology is a common and strong event. Lastly, high
3 performance variability across query molecules has been observed in all cases. Thus, a promising
4 avenue for future research consists in investigating which features make the target-ligand pair
5 more difficult to predict in order to assign a confidence score to each prediction.

6 **Author contributions**

7 P.J.B. conceived the study and wrote the manuscript. A.P. implemented the software and carried
8 out the numerical experiments with the assistance of C.C.D. All authors reviewed the manuscript.

9 **Acknowledgments**

10 This work has been carried out thanks to the support of the A*MIDEX grant (n° ANR-11-IDEX-
11 0001-02) funded by the French Government «Investissements d’Avenir» program awarded to
12 P.J.B.

13 **Additional information**

14 The authors declare no competing financial interests.

15 **References**

- 16 AbdulHameed, M. D. M., Chaudhury, S., Singh, N., Sun, H., Wallqvist, A., and Tawa, G. J.
17 (2012). Exploring polypharmacology using a ROCS-based target fishing approach. *J. Chem.*
18 *Inf. Model.* 52, 492–505. doi:10.1021/ci2003544.
- 19 Ain, Q. U., Aleksandrova, A., Roessler, F. D., and Ballester, P. J. (2015). Machine-learning

- 1 scoring functions to improve structure-based binding affinity prediction and virtual screening.
2 *Wiley Interdiscip. Rev. Comput. Mol. Sci.* 5, 405–424. doi:10.1002/wcms.1225.
- 3 Armstrong, M., Morris, G., Finn, P., Sharma, R., Moretti, L., Cooper, R., et al. (2010).
4 ElectroShape: fast molecular similarity calculations incorporating shape, chirality and
5 electrostatics. *J. Comput. Aided. Mol. Des.* doi:10.1007/s10822-010-9374-0.
- 6 Ballester, P. J. (2011). Ultrafast shape recognition: method and applications. *Future Med. Chem.*
7 3, 65–78.
- 8 Ballester, P. J., and Richards, W. G. (2007). Ultrafast shape recognition for similarity search in
9 molecular databases. *Proc. R. Soc. A Math. Phys. Eng. Sci.* 463, 1307–1321.
10 doi:10.1098/rspa.2007.1823.
- 11 Bento, A. P., Gaulton, A., Hersey, A., Bellis, L. J., Chambers, J., Davies, M., et al. (2014). The
12 ChEMBL bioactivity database: an update. *Nucleic Acids Res.* 42, D1083–90.
13 doi:10.1093/nar/gkt1031.
- 14 Breccia, M., and Alimena, G. (2010). Nilotinib: a second-generation tyrosine kinase inhibitor for
15 chronic myeloid leukemia. *Leuk. Res.* 34, 129–34. doi:10.1016/j.leukres.2009.08.031.
- 16 Cereto-Massagué, A., Ojeda, M. J., Valls, C., Mulero, M., Pujadas, G., and Garcia-Vallve, S.
17 (2015). Tools for in silico target fishing. *Methods* 71, 98–103.
18 doi:10.1016/j.ymeth.2014.09.006.
- 19 ChEMBL_20 release Available at:
20 ftp://ftp.ebi.ac.uk/pub/databases/chembl/ChEMBLdb/releases/chembl_20/. [Accessed March

- 1 4, 2015].
- 2 Cheng, T., Pan, Y., Hao, M., Wang, Y., and Bryant, S. H. (2014). PubChem applications in drug
3 discovery: a bibliometric analysis. *Drug Discov. Today* 19, 1751–6.
4 doi:10.1016/j.drudis.2014.08.008.
- 5 Cortés-Cabrera, A., Morris, G. M., Finn, P. W., Morreale, A., and Gago, F. (2013). Comparison of
6 ultra-fast 2D and 3D ligand and target descriptors for side effect prediction and network
7 analysis in polypharmacology. *Br. J. Pharmacol.* 170, 557–67. doi:10.1111/bph.12294.
- 8 Durant, J. L., Leland, B. A., Henry, D. R., and Nourse, J. G. Reoptimization of MDL keys for use
9 in drug discovery. *J. Chem. Inf. Comput. Sci.* 42, 1273–80. Available at:
10 <http://www.ncbi.nlm.nih.gov/pubmed/12444722> [Accessed June 19, 2015].
- 11 Füllbeck, M., Dunkel, M., Hossbach, J., Daniel, P. T., and Preissner, R. (2009). Cellular
12 Fingerprints: A Novel Approach Using Large-Scale Cancer Cell Line Data for the
13 Identification of Potential Anticancer Agents. *Chem. Biol. Drug Des.* 74, 439–448.
14 doi:10.1111/j.1747-0285.2009.00883.x.
- 15 Gao, Z., Li, H., Zhang, H., Liu, X., Kang, L., Luo, X., et al. (2008). PDTD: a web-accessible
16 protein database for drug target identification. *BMC Bioinformatics* 9, 104.
17 doi:10.1186/1471-2105-9-104.
- 18 Gfeller, D., Grosdidier, A., Wirth, M., Daina, A., Michielin, O., and Zoete, V. (2014).
19 SwissTargetPrediction: a web server for target prediction of bioactive small molecules.
20 *Nucleic Acids Res.*, gku293–. doi:10.1093/nar/gku293.

- 1 Holbeck, S. L., Collins, J. M., and Doroshow, J. H. (2010). Analysis of FDA-Approved Anti-
2 Cancer Agents in the NCI60 Panel of Human Tumor Cell Lines. *Mol. Cancer Ther.* 9, 1451–
3 1460. doi:10.1158/1535-7163.MCT-10-0106.
- 4 Huang, H., Zhang, P., Qu, X. A., Sanseau, P., and Yang, L. (2014). Systematic prediction of drug
5 combinations based on clinical side-effects. *Sci. Rep.* 4, 7160. doi:10.1038/srep07160.
- 6 Keiser, M. J., Roth, B. L., Armbruster, B. N., Ernsberger, P., Irwin, J. J., and Shoichet, B. K.
7 (2007). Relating protein pharmacology by ligand chemistry. *Nat. Biotechnol.* 25, 197–206.
8 doi:10.1038/nbt1284.
- 9 Keiser, M. J., Setola, V., Irwin, J. J., Laggner, C., Abbas, A. I., Hufeisen, S. J., et al. (2009).
10 Predicting new molecular targets for known drugs. *Nature* 462, 175–181.
11 doi:10.1038/nature08506.
- 12 Koutsoukas, A., Lowe, R., Kalantarmotamedi, Y., Mussa, H. Y., Klaffke, W., Mitchell, J. B. O., et
13 al. (2013). In silico target predictions: defining a benchmarking data set and comparison of
14 performance of the multiclass Naïve Bayes and Parzen-Rosenblatt window. *J. Chem. Inf.*
15 *Model.* 53, 1957–66. doi:10.1021/ci300435j.
- 16 van Laarhoven, T., Nabuurs, S. B., and Marchiori, E. (2011). Gaussian interaction profile kernels
17 for predicting drug-target interaction. *Bioinformatics* 27, 3036–43.
18 doi:10.1093/bioinformatics/btr500.
- 19 Lamdrum, G. RDKit: Open-source cheminformatics. Available at: <http://www.rdkit.org/>
20 [Accessed April 3, 2015].

- 1 Lavecchia, A., and Cerchia, C. (2015). In silico methods to address polypharmacology: Current
2 status, applications and future perspectives. *Drug Discov. Today* 21, 288–298.
3 doi:10.1016/j.drudis.2015.12.007.
- 4 Lee, J., and Bogoyo, M. (2013). Target deconvolution techniques in modern phenotypic profiling.
5 *Curr. Opin. Chem. Biol.* 17, 118–126. doi:10.1016/j.cbpa.2012.12.022.
- 6 Liu, X., Xu, Y., Li, S., Wang, Y., Peng, J., Luo, C., et al. (2014). In Silico target fishing:
7 addressing a “Big Data” problem by ligand-based similarity rankings with data fusion. *J.*
8 *Cheminform.* 6, 33. doi:10.1186/1758-2946-6-33.
- 9 Manley, P. W., Stiefl, N., Cowan-Jacob, S. W., Kaufman, S., Mestan, J., Wartmann, M., et al.
10 (2010). Structural resemblances and comparisons of the relative pharmacological properties
11 of imatinib and nilotinib. *Bioorg. Med. Chem.* 18, 6977–86. doi:10.1016/j.bmc.2010.08.026.
- 12 Martínez-Jiménez, F., Papadatos, G., Yang, L., Wallace, I. M., Kumar, V., Pieper, U., et al.
13 (2013). Target prediction for an open access set of compounds active against Mycobacterium
14 tuberculosis. *PLoS Comput. Biol.* 9, e1003253. doi:10.1371/journal.pcbi.1003253.
- 15 Medina-Franco, J. L. (2013). Activity Cliffs: Facts or Artifacts? *Chem. Biol. Drug Des.* 81, 553–
16 556. doi:10.1111/cbdd.12115.
- 17 Mestres, J., Gregori-Puigjané, E., Valverde, S., and Solé, R. V (2009). The topology of drug-target
18 interaction networks: implicit dependence on drug properties and target families. *Mol.*
19 *Biosyst.* 5, 1051–1057. doi:10.1039/b905821b.
- 20 Mugumbate, G., Abrahams, K. A., Cox, J. A. G., Papadatos, G., van Westen, G., Lelièvre, J., et al.

- 1 (2015). Mycobacterial dihydrofolate reductase inhibitors identified using chemogenomic
2 methods and in vitro validation. *PLoS One* 10, e0121492. doi:10.1371/journal.pone.0121492.
- 3 Nettles, J. H., Jenkins, J. L., Bender, A., Deng, Z., Davies, J. W., and Glick, M. (2006). Bridging
4 chemical and biological space: “target fishing” using 2D and 3D molecular descriptors. *J.*
5 *Med. Chem.* 49, 6802–10. doi:10.1021/jm060902w.
- 6 Nigsch, F., Bender, A., Jenkins, J. L., and Mitchell, J. B. O. (2008). Ligand-target prediction using
7 Winnow and naive Bayesian algorithms and the implications of overall performance
8 statistics. *J. Chem. Inf. Model.* 48, 2313–25. doi:10.1021/ci800079x.
- 9 Papadatos, G., Davies, M., Dedman, N., Chambers, J., Gaulton, A., Siddle, J., et al. (2015).
10 SureChEMBL: a large-scale, chemically annotated patent document database. *Nucleic Acids*
11 *Res.*, gkv1253–. doi:10.1093/nar/gkv1253.
- 12 Rogers, D., and Hahn, M. (2010). Extended-connectivity fingerprints. *J. Chem. Inf. Model.* 50,
13 742–54. doi:10.1021/ci100050t.
- 14 Schneider, G. (2010). Virtual screening: an endless staircase? *Nat Rev Drug Discov* 9, 273–276.
15 doi:10.1038/nrd3139.
- 16 Schomburg, K. T., and Rarey, M. (2014). Benchmark data sets for structure-based computational
17 target prediction. *J. Chem. Inf. Model.* 54, 2261–74. doi:10.1021/ci500131x.
- 18 Speck-Planche, A., and Cordeiro, M. N. D. S. (2015). Multi-Target QSAR Approaches for
19 Modeling Protein Inhibitors. Simultaneous Prediction of Activities Against
20 Biomacromolecules Present in Gram-Negative Bacteria. *Curr. Top. Med. Chem.* 15, 1801–

- 1 13. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/25961517> [Accessed February 18,
2 2016].
- 3 Sukumar, N., and Das, S. (2011). Current trends in virtual high throughput screening using ligand-
4 based and structure-based methods. *Comb. Chem. High Throughput Screen.* 14, 872–888.
5 Available at: <http://www.ncbi.nlm.nih.gov/pubmed/21843144>.
- 6 Ursu, A., and Waldmann, H. (2015). Hide and seek: Identification and confirmation of small
7 molecule protein targets. *Bioorg. Med. Chem. Lett.* 25, 3079–86.
8 doi:10.1016/j.bmcl.2015.06.023.
- 9 Wang, L., Ma, C., Wipf, P., Liu, H., Su, W., and Xie, X.-Q. (2013). TargetHunter: an in silico
10 target identification tool for predicting therapeutic potential of small organic molecules based
11 on chemogenomic database. *AAPS J.* 15, 395–406. doi:10.1208/s12248-012-9449-z.
- 12 Waring, M. J., Arrowsmith, J., Leach, A. R., Leeson, P. D., Mandrell, S., Owen, R. M., et al.
13 (2015). An analysis of the attrition of drug candidates from four major pharmaceutical
14 companies. *Nat. Rev. Drug Discov.* 14, 475–486. doi:10.1038/nrd4609.
- 15 Willett, P. (2014). The Calculation of Molecular Structural Similarity: Principles and Practice.
16 *Mol. Inform.* 33, 403–413. doi:10.1002/minf.201400024.
- 17 Yu, H., Chen, J., Xu, X., Li, Y., Zhao, H., Fang, Y., et al. (2012). A systematic prediction of
18 multiple drug-target interactions from chemical, genomic, and pharmacological data. *PLoS*
19 *One* 7, e37608. doi:10.1371/journal.pone.0037608.
- 20 Zanni, R., Gálvez-Llompart, M., Gálvez, J., and García-Domenech, R. (2014). QSAR multi-target

1 in drug discovery: a review. *Curr. Comput. Aided. Drug Des.* 10, 129–36. Available at:
2 <http://www.ncbi.nlm.nih.gov/pubmed/24724898> [Accessed February 18, 2016].

3